

POSTER SESSION

MONDAY, JULY 5

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-001	Richard Tucceri (INIFTA, CONICET, UNLP, Argentina)	Deactivation of Poly(o-aminophenol) after Its Interaction with Ferric Cations. Effects on the Protonation Reaction and Electron Transport	207
5P-002	Ruksapong Kunanuksapong (The Petroleum and Petrochemical College, Chulalongkorn University, Thailand)	Dielectrophoresis Force and Deflection of Dielectric Elastomers and Blends under AC Field	207
5P-003	Wissawin Kunchornsup (The Petroleum and Petrochemical College, Chulalongkorn University, Thailand)	Novel Cellulosic Gel Preparation Using as Actuator Application	207
5P-004	Sumonman Niamlang (The Petroleum and Petrochemical College, Chulalongkorn University, Thailand)	Iontophoresis of Ionic Drugs Delivery from Polyacrylamide Hydrogels	207
5P-005	Intira Yimlamai (The Petroleum and Petrochemical College, Chulalongkorn University, Thailand)	Poly(p-phenylene vinylene) and Its Composites with ZSM-5 Zeolites as Sensors for Ethanol Vapor	208
5P-006	Jin-Heong Yim (Kongju National University, South Korea)	A Facile Micro Patterning of Vapor-Phase Polymerized PEDOT Using Ink-Jet Printing/Soft Lithography	208
5P-007	Mayara Simonelly Costa dos Santos (University of Brasilia, Brazil)	Phenomenological Reason for the High Conductivity in Real Conducting Polymers Systems	208
5P-008	Teruya Goto (Yamagata University, Japan)	Thermally Processable Conductive Polyaniline Prepared by Melt Mixing and Characterizations	208
5P-009	Paramita Kar Choudhury (Indian Institute of Science, India)	π -Conjugation and Conformation in a Semiconducting Polymer: Small Angle X-ray Scattering Study	209
5P-010	Miroslava Trchova (Academy of Sciences of the Czech Republic, Czech Republic)	Flowing-Template Model of Polyaniline Nanotubes Formation	209
5P-011	Ayumi Hirai (Department of Macromolecular Science, Graduate School of Science, Japan)	Design of New Building Unit for Organometallic Dendrimers	209
5P-012	Rosa Maria Souto-Maior (Federal University of Pernambuco, Brazil)	Polyalkylthiophenes' Synthesis Revisited	209

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-013	Risdiana Risdiana (RIKEN-Nishina Center, Japan)	Spin Dynamics in Poly(3-alkylthiophene) Studied by Muon Spin Relaxation	210
5P-014	Chien-Hung Chiang (National Central University, Taiwan)	A Strategy to Synthesis of High Conductivity, Quality and Transparency Polyaniline Thin Film	210
5P-015	Oleg Dimitriev (Institute of Semiconductor Physics, Ukraine)	Cooperative Doping in Polyaniline-Poly(ethylene-3,4-dioxythiophene) : Poly(styrenesulfonic acid) Composites	210
5P-016	Amarjeet Kaur (University of Delhi, India)	Extensive Investigations of Effect of Swift Heavy Ions on the Conducting Polymers and the Applications of Ion Beam Irradiated Conducting Polymers	210
5P-017	Baoyang Lu (Jiangxi Science and Technology Normal University, China)	Electrosynthesis and Thermoelectric Properties of Novel Copolymers from 1,12-Bis(carbazolyl)dodecane and 3,4-Ethylenedioxythiophene	211
5P-018	Marceline Neg Akieh (Abo Akademi University, Finland)	Monitoring of the Transport of Anions and Cations across Polypyrrole Based Composite Membranes	211
5P-019	Eun-Young Hong (Ajou University, South Korea)	Enhanced Heat Resistance of Electrical Conductivity of Polyaniline Films Doped by Polymeric Dopants	211
5P-020	Chan-Keun Jung (Ajou University, South Korea)	Well-Dispersed Polyaniline Copolymers with Polar and Non-Polar Side-Chains in Organic Solvents	211
5P-021	Yongsu Park (Sunchon National University, South Korea)	Self-Doping Process for Highly Conductive and Stable Polyaniline-Silver Nanoparticle Hybrid Inks	212
5P-022	Tomoya Uchida (Nagoya University, Japan)	Femtosecond Pump-Probe Spectroscopy in a Conducting Polymer, PEDOT-PSS	212
5P-023	Akihiro Kondo (Nagoya University, Japan)	DC-Biased Electroabsorption Measurements of Head-to-Head Regioregular Polythiophenes	212
5P-024	Wei Feng (Tianjin University, China)	A Novel Self-Assembly Process Happening in Demulsifying	212

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-025	Przemyslaw Data (The Silesian University of Technology, Poland)	Fluorescence Spectroelectrochemistry as Unconventional Method for Analysis Conjugated Polymers and Electrochemical Process	213
5P-026	Byoung Hoon Lee (GIST, South Korea)	New Film-Casting Method for High Performance Flexible Polymer Electrode	213
5P-027	Ha-Young Son (Korea Institute of Industrial Technology, KITECH, South Korea)	Synthesis and Conductive Polymer Properties of Regioregular Poly(3,4-ethylenedioxythiophene)	213
5P-028	Toshiyasu Hibino (Waseda University, Japan)	Electroactive Polymer Composites: Oxidative Polymerization, Morphology, Electrical and Electrochemical Properties	213
5P-029	Yeong-Soon Gal (Kyungil University, South Korea)	Electrical and Electronical Properties of Poly(2-ethynyl-N-alkylpyridinium bromide)s	214
5P-030	Everaldo Carlos Venancio (Universidade Federal do ABC, UFABC, Brazil)	Polyanilines: Morphological and Structural Changes	214
5P-031	Ping Xu (Harbin Institute of Technology, China)	Preparation of Functionalized Metal Nanoparticles through Chemical Reduction by Conducting Polymers	214
5P-032	Wei Zhang (Nara Institute of Science and Technology, Japan)	Inherent High-Mobility Supramolecular Polymer from Phthalocyanine Stacks	214
5P-033	Masayoshi Nakano (Osaka University, Japan)	Theoretical Study of Field Effect on Third-Order Nonlinear Optical Property of Symmetric Singlet Diradical Molecules	215
5P-034	Jin-Woo Park (Kyoto University, Japan)	Synthesis and Properties of Polyfluorene Derivatives Bearing Ferroelectric Liquid Crystalline Groups	215
5P-035	Pascale Jolinat (Universite de Toulouse, France)	Interface Charge Trapping in Polyfluorene-Based Light Emitting Diodes Induced by a PEDOT:PSS Buffer Layer	215
5P-036	Sadahiro Masuo (Kyoto Institute of Technology, Japan)	Single-Photon Emission from Isolated Conjugated Polymer Chains	215

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-037	Nobutaka Tanigaki (National Institute of Advanced Industrial Science and Technology, Japan)	Interface-Induced Polymerization of Polyaniline Films	216
5P-038	Leni Campos Akcelrud (Federal University of Parana, Brazil)	Photophysical Studies of a New Thermochromic Light Emitting Copolymer Containing Complexed Europium Ions	216
5P-039	Yukihito Matsuura (Nara National College of Technology, Japan)	Electronic Structure of Polymeric Cyclopentadienyl Indium Complex	216
5P-040	Yuping Yuan (Tokyo Institute of Technology, Japan)	N-Type Semiconducting Polythiophene Derivatives Prepared by Click-Type Postfunctionalization	216
5P-041	Hisashi Okawa (Kyushu University, Japan)	Proton Conduction of Oxalate-Bridged $M^{II}Cr^{III}$ Layered Complexes with Trialkyl(carboxymethyl)ammonium Ions	217
5P-042	Suchand Sangeeth (Indian Institute of Science, India)	Photo-Impedance Characterization of Polymer Field-Effect Transistor	217
5P-043	Yasuhiro Morisaki (Kyoto University, Japan)	Synthesis of Through-Space Conjugated Polymers Based on [2.2]Paracyclophane	217
5P-044	Naoki Matsuoka (Nara Institute of Science and Technology, Japan)	Excitation Wavelength Dependence of Stimulated Resonant Raman Scatterings in Thiophene/Phenylene Co-Oligomer Single Crystals	217
5P-045	Naoki Matsuoka (Keio University, Japan)	Magnetic Properties and Crystal Structures of Oxovanadium (IV) Complexes with Bidentate Schiff Base Ligands	218
5P-046	Luis Alcacer (Instituto Superior Tecnico, Portugal)	Biocellulose and Derivatives as Substrates and Dielectrics for Organic Field-Effect Transistors	218
5P-047	Brigitte Pepin-Donat (UMR 5819 SPrAM, France)	In-situ EPR-Electrochemical Investigation of Electro-Active Organic Semi-Conductors: Structure-Magnetic Properties Relationship	218
5P-048	Yasuchika Hasegawa (Nara Institute of Science and Technology, Japan)	Photophysical Properties of Nine-Coordinated Europium(III) Complexes with Tandem-Connected Tridentate Phosphine Oxide Ligands	218

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-049	Hisao Yanagi (Nara Institute of Science and Technology, Japan)	Surface-Emitting Polymer Laser Coupled with Stimulated Resonant Raman Scattering of Dye-Doped Films	219
5P-050	Kenji Kuwada (Kyoto University, Japan)	Nanospheres of Photoreponsive Conjugated Polymers and Dynamic Control of Their Fluorescence	219
5P-051	Shuhei Katsuta (Ehime University, Japan)	Synthesis and Properties of Novel Cyanated Acenes	219
5P-052	Almantas Pivrikas (Johannes Kepler University Linz, Austria)	Charge Carrier Transport in Diodes and Planar Structures Fabricated from Organic Semiconductors	219
5P-053	Kunihiro Mitsutake (Canon Inc., Japan)	Theoretical Study of Structures of Isolated and Bulk Phase of Helical Polyacetylene	220
5P-054	Tian Wenjing (Jilin University, China)	Synthesis and Photovoltaic Properties of Donor-Acceptor Conjugated Copolymers	220
5P-055	Inmaculada Suarez Lopez (IIT, Italy)	Temperature Sensors Based on Polymer Optical Fibres Doped with an Europium Organic Complex	220
5P-056	Werner J. Blau (Trinity College Dublin, Ireland)	Electrical Characterisation of Polymer Nanostructures Assembled Using Anodic Aluminium Oxide Templates	220
5P-057	Ernesto Chaves Pereira (Universidade Federal de Sao Carlos, Brazil)	Synthesis of PANI/ABS Polymeric Varistors	221
5P-058	Wen-Yong Lai (Nanjing University of Posts and Telecommunications, NUPT, China)	Macromolecular Materials for Organic Optoelectronic Applications	221
5P-059	Jakub Mezyk (University of Milano Bicocca, Italy)	Magnetic Field Effects on Up-Conversion Photoluminescence	221
5P-060	Yoshiki Wada (National Institute for Materials Science, Japan)	Dependence of the Lattice Relaxation Dynamics on the Initial Excited States in MX-Chain Compounds	221

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-061	Qiang Zhao (Nanjing University of Posts and Telecommunications, China)	A Class of Excellent Phosphorescent Materials: Triarylboron and Carbazole-Functionalized Cationic Iridium(III) Complexes	222
5P-062	Shujuan Liu (Nanjing University of Posts and Telecommunications, China)	Effects of Temperature and Solvent on the Energy Transfer and Beta-Phase Formation in the Iridium(III) Complex-Containing Polyfluorene	222
5P-063	Hongji Jiang (Nanjing University of Posts and Telecommunications, NUPT, China)	Effectively Adjust the Optoelectronic Properties of Organic Conjugated Materials by Synthesizing p-n Diblock Molecules	222
5P-064	Huifang Shi (Nanjing University of Posts and Telecommunications, China)	Novel Application of Conjugated Polymers Containing Phosphorescent Iridium(III) Complexes as Ratiometric, Colorimetric and Highly Sensitive Chemosensors for Hg ²⁺	222
5P-065	Elena Konyushenko (Institute of Macromolecular Chemistry, Czech Republic)	Polyaniline Prepared by the Oxidation of Aniline Hydrochloride in the Solid State	223
5P-066	Manu Jaiswal (Indian Institute of Science, India)	Charge Transport in Novel Transparent Conductors: a Comparison	223
5P-067	Yuko Nagayoshi (Yokohama National University, Japan)	Energy Transfer Efficiency from Light-Harvesting Antennas to the Core in π -Conjugated Small Dendrimers	223
5P-068	Lijia Liu (Niigata University, Japan)	Helix-Sense-Selective Polymerization of a Novel Phenylacetylene Having a Trisiloxanyl Group and Two Hydroxy Groups and Application of the Resulting Membrane	223
5P-069	Akisato Takata (Kyoto University, Japan)	Asymmetric Template Polymerization Using Helical Poly(<i>meta</i> -phenylene) Film	224
5P-070	Martin Klimsa (Victoria University of Wellington, New Zealand)	Molybdenum and Rhenium Up-Take by Polyaniline Coated Nanostructured Calcium Silicate Hydrate	224
5P-071	Giancarlo Barassi (Victoria University of Wellington, New Zealand)	Polypyrrole/Nanostructured Calcium Silicate Hydrate Composites as Sorbents of Perrhenate, Molybdate	224
5P-072	Yongsoo Jeong (Kyoto University, Japan)	Controls of Chirality and Morphology of Copolymer-Type Chiral PEDOT Derivatives by Means of Electrochemical Oxidation and Reduction	224

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-073	Yunosuke Abe (Niigata University, Japan)	Synthesis of One-Handed Helical Polyacetylenes without the Coexistence of Any Other Chiral Moieties via Polymer Reaction	225
5P-074	Hideki Katagiri (AIST, Japan)	Theoretical Study of the Inter- and Intra-Molecular Relaxation of Excited States in Anthracene-Based Organic Molecular Crystals	225
5P-075	Azusa Yagi (Kyoto University, Japan)	Chirality Inversion of Liquid Crystalline Conjugated Polymers by Photoresponsive Chiral Compounds	225
5P-076	Weronika Pawelec (Abo Akademi University, Finland)	Synthesis of Poly(3,4-ethylenedioxythiophene), Polypyrrole and Poly(benzopyrene) Films Doped with Eriochrome Black T	225
5P-077	Seichi Takami (National Institute for Materials Science, Japan)	Magnetic-Field-Assisted Control of Molecular Packing Structure in Phthalocyanine Organic Nanowires and Its Effect on the Electrical Conductivity	226
5P-078	Takuya Fujimoto (Nagoya University, Japan)	Electrochemical Field Effect Transistors of Octathio[8]circulene	226
5P-079	Hyeon-Gu Jeon (Shinshu University, Japan)	Effect of Baffles on the Purification Efficiency in the New Sublimation Purification System	226
5P-080	Gary James Richards (National Institute for Materials Science, Japan)	Pyrazinacenes : Aza Analogues of Acenes	226
5P-081	Ryszard Fryczkowski (University of Bielsko-Biala, Poland)	Poly(lactide) Fibres Modified by Polyaniline	227
5P-082	Jaroslav Janicki (University of Bielsko-Biala, Poland)	Cellulose- and Polyaniline-Based Conducting Materials	227
5P-083	Beata Fryczkowska (University of Bielsko-Biala, Poland)	Conductive Foils Based on Thermoplastic Blends Containing Cellulose	227
5P-084	Monika Rom (University of Bielsko-Biala, Poland)	Polyaniline Inks for Inkjet Printing on Textiles	227

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-085	Hammat Valiev (Institute of Applied Mechanics , Russian Fed)	Studies the Effect of Different Fillers on Reinforced Mechanical Properties in Conjugated Elastomers	228
5P-086	Jalilah Abd Jalil (Nara Institute of Science and Technology, Japan)	Polyfluorene-Thiophene Alternating Copolymers Directed Tuned Red-Green-Blue Emitters	228
5P-087	Junya Ishioka (Hokkaido University, Japan)	Chirality in Charge-Density-Waves	228
5P-088	Takuya Matsumoto (Hokkaido University, Japan)	Critical Sheet Resistance Observed in Quasi-Two- Dimensional $\text{Fe}_x\text{Ta}_{1-x}\text{Se}_2$	228
5P-089	Yuhi Inada (Kyoto Institute of Technology, Japan)	Preparation of Large-Size Organic Thin Single- Crystals	229
5P-090	Wiliam Ferreira da Cunha (University of Brasilia, Brazil)	Charge Carrier Density Influence on the Conducting Process in Organic Conductors	229
5P-091	Pedro Henrique de Oliveira Neto (University of Brasilia, Brazil)	Temperature Independence in Time Creation of Carriers in Organic Conductors	229
5P-092	Ricardo Gargano (UnB, Brazil)	Genetic Algorithm Calculation of Organic Conductors Electronic Structure	229
5P-093	Akira Miyazaki (University of Toyama, Japan)	Synthesis and Properties of TTF Derivatives Bearing an Electroactive Organoiron Building Block	230
5P-094	Yasuhiro Tanaka (Institute for Molecular Science, Japan)	Theory of Current-Voltage Characteristics in Two- Dimensional Charge-Ordered Electron Systems	230
5P-095	Eiichi Mori (TMU, Japan)	Direct Observation of Charge Disproportionation in $\alpha\text{-(ET)}_2\text{I}_3$ with STM at RT	230
5P-096	Rina Takagi (The University of Tokyo, Japan)	$^1\text{H-NMR}$ Study of $[\text{Au}(\text{tmdt})_2]$ under Pressure	230

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-097	Yugo Oshima (RIKEN, Japan)	Possible Control of the Field-Induced Superconductivity by Electron Spin Resonance	231
5P-098	Shinji Hirose (Hokkaido University, Japan)	The Magnetic State of α -(BEDT-TTF) ₂ I ₃ from ¹³ C-NMR	231
5P-099	Masaki Misawa (Hokkaido University, Japan)	¹³ C-NMR of (TMTSF) ₂ PF ₆ Using Single Site ¹³ C-enriched Molecule	231
5P-100	Atsushi Wada (University of Hyogo, Japan)	Synthesis and Properties of Dimethyl-Substituted TTF-DT-Fused Donors	231
5P-101	Kenichi Hirokawa (Toho University, Japan)	Dynamics of Fractionally-Charged Solitons in Nearly Quater-Filled One-Dimensional Electron Systems	232
5P-102	Kohei Fujikawa (University of Hyogo, Japan)	Control of Electron Correlation in Molecular Conductors by Substitution with Two Methylthio Groups	232
5P-103	Sayo Yokota (Osaka Prefecture University, Japan)	Development of Multi-Functional Materials Using TTF Derivatives Substituted with Benzothiazole Ring	232
5P-104	Bojana Hamzic (Institute of Physics, Croatia)	Hall Effect in TTF-TCNQ	232
5P-105	Mitsuharu Nagasawa (Tokyo Denki University, Japan)	Hydrostatic Pressure and Uniaxial Strain Effects for (TMTTF) ₂ X	233
5P-106	Shigeharu Sugawara (Faculty of Science and Technology, Tokyo University of Science, Japan)	Out-of-plane Magnetoresistance in Quasi 2D Massless Dirac Fermions System, α -(BEDT-TTF) ₂ I ₃	233
5P-107	Yoshiaki Nakano (Kyoto University, Japan)	Vibrational Study on the Charge Disproportionation in (DMEDO-EBDT) ₂ PF ₆	233
5P-108	Yue Yue (Institute for Molecular Science, Japan)	Isotope Effect for the Phase Transitions of α' -ET ₂ I ₂ Br ₂	233

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-109	Katsuya Sako (Nagoya Institute of Technology, Japan)	Synthesis and Properties of Novel Donor-Acceptor Systems: Orthogonalized TTF-Cyclophanes	234
5P-110	Taichi Kosugi (The University of Tokyo, Japan)	First-Principles Calculation of Electronic Structure of Doped Solid Picene	234
5P-111	Mitsuyuki Sato (Toho University, Japan)	Interlayer Hall Effect in Organic Conductor, α -(STF) ₂ I ₃	234
5P-112	Takaaki Hiramatsu (Kyoto University, Japan)	Metal-Insulator Transition in Organic Alloy, [(EDO-TTF) _{1-x} (MeEDO-TTF) _x] ₂ PF ₆ {x = 0.06 - 0.12}	234
5P-113	Miho Ito (Saitama University, Japan)	Crystal Growth and μ SR Study on a Layered Antiferromagnet, κ -(D8-BEDT-TTF) ₂ Cu[N(CN) ₂]Br	235
5P-114	Mitsushiro Nomura (RIKEN, Japan)	A [Pd(dmit) ₂] Salt with Fluorinated Ammonium	235
5P-115	Yasuhiro Nakazawa (Osaka University, Japan)	AC Heat Capacity of Organic Superconductors in κ -(BEDT-TTF) ₂ X System	235
5P-116	Masafumi Niwa (Nagoya University, Japan)	Uniaxial Compression Effect on the Superconductivity of β -(BEDT-TTF) ₂ I ₃	235
5P-117	Kiyoshi Torizuka (The University of Tokyo, Japan)	Development of Technique for Highly Sensitive Magnetic Torque Measurements and Its Application to Molecular Conductors TPP[Fe(Pc)L ₂] ₂	236
5P-118	Biao Zhou (College of Humanities and Sciences, Nihon University, Japan)	Syntheses and Physical Properties of Single-Component Molecular Conductors Based on Au and Cu Complexes with Extended-TTF Ligands	236
5P-119	Tomoyuki Mochida (Kobe University, Japan)	Physical Properties of (BEDT-TTF) ₂ I ₃ -Silica Composites Prepared by Ball Milling	236
5P-120	Yukari Motosugi (Nagoya University, Japan)	Uniaxial Pressure Effect on Organic Superconductors in the Extended Hubbard Model	236

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-121	Yukari Takahashi (Hokkaido University, Japan)	Hole Doping in Soluble Organic-Inorganic Hybrid Semiconductors Using Organic Dications	237
5P-122	Tatsuya Nakatsugawa (Hokkaido University, Japan)	Physical Properties of a Conductor Based on Axially Substituted Ruthenium Phthalocyanine	237
5P-123	Tokio Tatsumi (Nara Institute of Science and Technology, NAIST, Japan)	Photoexcited States in Charge Ordered Insulators α -(BEDT-TTF) ₂ X and Dimmer Mott Insulators κ -(BEDT-TTF) ₂ X	237
5P-124	Naoko Takubo (RIKEN, Japan)	Photoinduced Insulator to Metal Transition in Charge-Ordered BEDT-TTF Salts	237
5P-125	Yuki Kuwata (Hokkaido University, Japan)	Low Frequency Dynamics in κ -(BEDT-TTF) ₂ Cu(NCS) ₂ Observed by ¹³ C-NMR	238
5P-126	Ryosuke Takehara (The University of Tokyo, Japan)	Transport Properties of the NI Transition Material, TTF-CA, under High Pressure	238
5P-127	Edmond Orignac (CNRS and Ecole Normale Supérieure de Lyon, France)	Density of States of a Two-Band One-Dimensional Conductor	238
5P-128	Yoshikazu Suzumura (Nagoya University, Japan)	Dielectric Properties in the Zero-Gap Organic Conductor α -(BEDT-TTF) ₂ I ₃	238
5P-129	Hiroshi Akiba (Toho University, Japan)	Magnetic and Thermal Properties of Antiferromagnetic Insulator λ -BETS ₂ FeCl ₄	239
5P-130	Pascale Auban-Senzier (Universite Paris-Sud, France)	Correlation between Linear Resistivity and Superconductivity in the Bechgaard Salts	239
5P-131	Sara Krivickas (The University of Tokyo, Japan)	Synthesis and Properties of Chiral BEDT-TTF Derivatives	239
5P-132	Toshihiro Takahashi (Gakushuin University, Japan)	SDW State of (TMTSF) ₂ NbF ₆ Studied by ⁷⁷ Se NMR	239

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-133	Hikaru Isozaki (The Institute for Solid State Physics, The University of Tokyo, Japan)	Systematic Studies of Electroluminescence, Photoluminescence, Photocurrent for a Single-Layer Device at Low Temperatures and under High Magnetic Field	240
5P-134	Noriaki Matsunaga (Hokkaido University, Japan)	Effect of the Anion Ordering in the Field-Induced Spin-Density-Wave of (TMTSF) ₂ ReO ₄ at High Magnetic Fields	240
5P-135	Takashi Yumura (Kyoto Institute of Technology, Japan)	The Use of Nanometer-Sized Hydrographene Species for Support Material for Fuel Cell Electrode Catalysts: A Theoretical Proposal	240
5P-136	Wataru Fujita (Tokyo Metropolitan University, Japan)	2D Quadratic Lattice Magnets Composed of Organic Radical Salts, (BBDTA)(X)	240
5P-137	Yann Le Gal (University of Rennes 1, France)	Binuclear Cu(II) Coordination Complex Involving cis-Tetrathiafulvalene-bis-amido-2-pyridine-N-oxide as Bi-Anionic Ligands	241
5P-138	Takashi Kaneko (Niigata University, Japan)	Sequential Poly(aryleneethynylene)-Based Polyradicals: Synthesis and Magnetic Property	241
5P-139	Makoto Tsuburaya (TMU, Japan)	Optical Absorption and Field Induced ESR in M-DNA	241
5P-140	Guichao Hu (Shandong Normal University, China)	Spin-Current Rectification in an Organic Magnet Based Device	241
5P-141	Hideto Suzuki (University of Hyogo, Japan)	Structures and Functions of Some Acceptors Carrying Stable Radical	242
5P-142	Yukihiro Yoshida (Meijo University, Japan)	Valence-Tautomeric Ionic Liquid Composed of Cobalt Bis(dioxolene) Complex Dianion	242
5P-143	Toru Endo (Hokkaido University, Japan)	Crystal Structure and Magnetic Properties of (3-fluoro-4-methoxyanilinium)([18]crown-6)[Mn ^{II} Cr ^{III} (ox) ₃]	242
5P-144	Junfeng Ren (Shandong Normal University, China)	Effects of Electric and Magnetic Fields on Spin Injection into Organic Semiconductors	242

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-145	Takayuki Goto (Sophia University, Japan)	NMR Study on Ru-based Quantum Spin Systems of [Ru(acac) ₃] and [Ru(acac) ₂](μ-OEt) ₂	243
5P-146	Takayuki Ishida (The University of Electro-Communications, Japan)	The Most Coercive Magnets from Molecule-Based Cobalt(II)-Radical Chain Compounds	243
5P-147	Titusz Feher (Budapest University of Technology and Economics, Hungary)	Magnetic Eigenoscillations and Extreme Anisotropy in the Canted Antiferromagnet, κ-(BEDT-TTF) ₂ Cu[N(CN) ₂]Cl	243
5P-148	Fedor Mushenok (Institute of Problems of Chemical Physics, Russian Fed)	Spin Foldover in Chiral Molecular Ferrimagnet	243
5P-149	Kenichi Goushi (Kyushu University, Japan)	Magnetic-Field Effects in Organic Light-Emitting Diodes Based on Exciplex States	244
5P-150	Panayiotis Koutentis (University of Cyprus, Cyprus)	Characterisation and Magnetic Properties of the 7-Trifluoromethyl-1,3-diphenylbenzo-1,2,4-triazinyl Radical	244
5P-151	Hironori Higuchi (Keio University, Japan)	Effect of 1,3,5-Substituent on Magnetic Properties of 6-Oxoverdazyl Derivatives	244
5P-152	Hisaaki Tanaka (Nagoya University, Japan)	Electron Spin Resonance Observation of Charge Carrier Concentrations in Organic Field-Effect Transistors during Device Operation	244
5P-153	Sei Uemura (National Institute of Advanced Industrial Science and Technology, Japan)	Influence of the Crystallinity of Polypeptide as a Gate Dielectric on the Hysteresis Behavior of TFT	245
5P-154	Shuichi Nagamatsu (Kyushu Institute of Technology, Japan)	Air Stable n-Type Organic Thin-Film Transistors Utilizing Distyrylbenzene Derivatives	245
5P-155	Yoshihiko Bito (Nagoya University, Japan)	Electron Spin Resonance Observations of Charge Carriers and Molecular Orientations in Thin Films of Poly(p-phenylene vinylene) Derivatives	245
5P-156	Kenji Ishihara (Nagoya University, Japan)	ESR Study of Field-Induced Charge Carriers in High-Mobility Conducting Polymers	245

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-157	Takeshi Shimomura (Tokyo University of Agriculture and Technology, Japan)	Electric Property of Polythiophene Nanofiber Made by Whisker Method	246
5P-158	Joaquim Puigdollers (Universitat Politecnica Catalunya, Spain)	Electronic Density of States of DP-PTCDI Thin-Films Grown by Thermal Vacuum Sublimation	246
5P-159	Eigo Miyazaki (Hiroshima University, Japan)	Synthesis of Thiophene-Fused Porphyrazines and Application to Solution-Processed Organic Field-Effect Transistors	246
5P-160	Shoji Shinamura (Hiroshima University, Japan)	Synthesis, Properties and Semiconductor Characteristics of Naphtho[1,2- <i>b</i> :5,6- <i>b'</i>] dithiophene Derivatives	246
5P-161	Oleg Borshchev (Russian Academy of Sciences, Russian Fed)	Synthesis of Monochlorosilyl Derivatives of Dialkyloligothiophenes for Self-Assembling Monolayer Field-Effect Transistors	247
5P-162	Shu Hotta (Kyoto Institute of Technology, Japan)	Electrically-Excited Spectrally-Narrowed Emissions on a Transistor Comprising a Layered Organic Structure	247
5P-163	Xubing Lu (NIMS, Japan)	Capacitance-Voltage Frequency Dispersions in Pentacene-Based Organic Devices	247
5P-164	Takahiro Kono (Tokyo Institute of Technology, Japan)	n-Channel OFETs Based on Low LUMO Level and Narrow Energy Gap Materials	247
5P-165	Kei Noda (Kyoto University, Japan)	Carrier Control in <i>N</i> -Channel Organic Thin-Film Transistors with Ultrathin Polymer Insulators	248
5P-166	Masa-aki Sato (Kobe University, Japan)	Oxidized States of Diferrocenyl-Oligothiophenes	248
5P-167	Yusuke Wakatsuki (Kyoto University, Japan)	Low-Voltage Organic Thin-Film Transistors with Nanometer-Thick Poly(methyl methacrylate) Gate Dielectrics	248
5P-168	Junshi Soeda (Osaka University, Japan)	Structure Analysis of Solution-Crystallized 2,7-dioctylbenzothieno[3,2- <i>b</i>]benzothiophene Thin Films for Very High-Mobility Transistors	248

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-169	Itaru Osaka (Hiroshima University, Japan)	Naphthodithiophene Copolymers for High Performance OFETs	249
5P-170	Masakazu Yamagishi (Osaka University, Japan)	Hall Effect and Charge-Transport Mechanism of Solution-Crystallized and Vapor-Deposited Organic Transistors	249
5P-171	Yoshihito Honsho (Osaka University, Japan)	Influence of Transport Properties and Molecular Structure in Conjugated Copolymer Containing Dithieno[3,2-b: 2',3'-d]pyrrole	249
5P-172	Toshiya Nagase (Kyushu Institute of Technology, Japan)	Long-Term Air-Stability in p-type Organic Field-Effect Transistor Based on Pyrene Derivatives	249
5P-173	Hongtao Yuan (Tohoku University, Japan)	Highly-Charged Electric-Double-Layer Interfaces: from Electrochemistry to Electrostatics	250
5P-174	Tomoyasu Yashima (Yamagata University, Japan)	Vertical-Type Metal-Base Organic Transistors Using Various Types of Perylene Tetracarboxylic Compounds	250
5P-175	Hai-Ching Su (National Chiao Tung University, Taiwan)	Phosphor-Sensitized Fluorescent Solid-State Light-Emitting Electrochemical Cells	250
5P-176	Suhee Song (Pusan National University, South Korea)	Organic Syntheses and Characteristics of Novel Conjugated Polymers for Organic Photovoltaics	250
5P-177	Hongsuk Suh (Pusan National University, South Korea)	Organic Syntheses and Characteristics of Novel Conjugated Polymers	251
5P-178	Takayuki Miyamae (AIST, Japan)	Two-Color Sum-Frequency Generation Study of Poly(9,9-dioctylfluorene) Interfaces	251
5P-179	Ken Okamoto (Sharp Corporation, Japan)	Effects of Semi-Transparent Electrode for OLED Devices with Top-Emitting Structure	251
5P-180	Takeshi Sato (Yamagata University, Japan)	Luminescence Property of Iridium and Platinum Complexes with Liquid Crystalline Ligands in Liquid Crystal Field	251

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-181	Hidenobu Matsuoka (Osaka City University, Japan)	Exciton Dissociation under Electric Field in a MEH-PPV LED	252
5P-182	Mihee Heo (Ulsan National Institute of Science and Technology, South Korea)	White Light-Emitting Polymer Device Based on Poly(N-vinylcarbazole)(PVK) and Poly(3-hexylthiophene)(P3HT) Block Copolymer	252
5P-183	Eddy Dumas (University of Versailles, France)	Gold and Silver Nanocomposites Based on Phosphorescent Dyes (Ru(II) and Ir(III) Complexes) : Design, Optical And Electrochemical Properties.	252
5P-184	Jin Young Yu (Gwangju Institute of Science and Technology, South Korea)	High Performance Polymer Light-Emitting Diodes Introducing Innovative Conjugated Polyelectrolyte Transport Layers	252
5P-185	Ji Sun Park (KAIST, South Korea)	Efficient Hybrid PLEDs by Surface Modification of Metal Oxides	253
5P-186	Hirotake Kajii (Osaka University, Japan)	Fabrication and Characteristics of Polymer Light-Emitting Diodes for High-Speed Operation	253
5P-187	Yong Suk Yang (Electronics and Telecommunications Research Institute, South Korea)	Via-Hole Interconnections and Organic Electronic Devices Fabricated by an Inkjet Printing Method	253
5P-188	Jun Bin Ko (Hanbat National University, South Korea)	Printing Fabrication of Lens and Microlens Arrays for Optical and Light Emitting Devices	253
5P-189	Sang Chul Lim (Electronics and Telecommunications Research Institute, ETRI, South Korea)	Electrical Properties of Soluble ZnO Semiconductor by Inkjet Printing	254
5P-190	Young-Inn Kim (Pusan National University, South Korea)	Novel Blue Phosphorescent Ir(III) Complexes Based on Phenylpyridine for Highly Efficient Organic Light-Emitting Diodes	254
5P-191	Jun-Woo Park (Dong-A University, South Korea)	Luminance Efficiency of OLED using Zn(HPQ) ₂ and Alq ₃ as Electron Transporting Material	254
5P-192	Yu-Cheng Chen (National Cheng Kung University, Taiwan)	Transforming the Role of Ultra-thin NaF Film as Anode Buffer Layer in Organic Light Emitting Devices	254

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-193	Yongsu Kang (Pusan National University, South Korea)	Electrical Properties of Light-Emitting Electrochemical Cells Using a PEDOT:PSS/Tris(2,2'-bipyridyl)Ruthenium(II) Complex Single Layer	255
5P-194	Tae Wan Kim (Hongik University, South Korea)	Electrical Properties of Organic Light-Emitting Diodes with a Use of Li ₂ CO ₃ Layer	255
5P-195	Yuanchun Zhao (University of Nantes/CNRS, France)	Luminescence Enhancement of Conjugated Polymer Nanoarrays Driven by Nanoscale Spatial Confinement	255
5P-196	Olga Solomeshch (Technion, Israel)	Fluorinated Fullerenes/Conjugated Polymer Composites for Photovoltaic Devices	255
5P-197	Hisahiro Sasabe (Yamagata University, Japan)	Pyridine-Containing Electron-Transporters for Extremely Efficient PHOLEDs	256
5P-198	Tasuku Ishizaka (Yamagata University, Japan)	3,6-Disubstituted Carbazole Derivatives with a Phosphine Oxide Moiety for Blue PHOLEDs	256
5P-199	Naoki Toyota (Yamagata University, Japan)	Bicarbazole-Based Host Materials for High-Efficiency Blue PHOLEDs	256
5P-200	Takao Motoyama (Yamagata University, Japan)	An α -carboline-containing Host Material for High-Efficiency Green PHOLEDs	256
5P-201	Ga Lim Noh (Hongik University, South Korea)	Synthesis and Photophysical Properties of the New Ionic Iridium Complexes Involving the Phenanthroline	257
5P-202	Hye Rim Park (Hongik University, South Korea)	Synthesis of the New Iridium Complexes Involving Biphenylpyridine Derivatives for the Saturated Blue Emission	257
5P-203	Wataru Mizutani (National Institute of Advanced Industrial Science and Technology, Japan)	Polymer Light Emitting Diodes Using ITO-Free Electrodes Fabricated by Wet Process and Lamination	257
5P-204	Keiji Noine (Yamagata University, Japan)	Degradation Characteristics of Hole Transport Material Caused by Minority Carrier and Exciton	257

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-205	Yong-Jin Pu (Yamagata University, Japan)	Highly Efficient Solution Processed OLEDs with Phosphorescent Iridium Complexes Covalently Surrounded by Carbazole Hosts	258
5P-206	Tomoaki Sengoku (Kyoto Institute of Technology, Japan)	An Organic p-n Junction Based on Laminated Films of Thiophene/Phenylene Co-Oligomers	258
5P-207	Sijoong Kwon (Kookmin University, South Korea)	Highly Conductive Poly(3,4-ethylenedioxythiophene) Films as a Flexible Organic Electrode	258
5P-208	Hideki Ohkawa (Toshiba Lighting and Technology Corporation, Japan)	Luminance Degradation of Polymer Light-Emitting Diodes by Interlayer Mixing between PEDOT:PSS and Polyfluorene	258
5P-209	Masanori Nakagawa (Osaka Prefecture University, Japan)	Photodegradation of Polyfluorene Studied by Means of Photoluminescence Spectroscopy	259
5P-210	Ho Jun Song (Konkuk University, South Korea)	Efficient White Light Emission from Single Copolymers with Novel Quinacridone Derivative	259
5P-211	Jae Sun Jun (Konkuk University, South Korea)	Introduction of Red Ligands to the Iridium Complexes Having Quinoxaline Derivatives for PLED to Single Copolymer System	259
5P-212	Shuhei Yamasaki (Kyushu University, Japan)	Organic Electrophosphorescent Diode Incorporated between Two Different Metal Oxide Injection Layers	259
5P-213	Bo Min Seo (Hongik University, South Korea)	Efficient Red Organic Light-Emitting Diodes Using 2,5-bis(4-(diphenylamino)styryl)terephthalonitrile as a Fluorescent Red Emitter	260
5P-214	Zong-Qiong Lin (Nanjing University of Posts and Telecommunications, China)	Facile Step-by-Step Friedel-Crafts Reactions to Construct Asymmetry Nonplanar Organic Nanomaterials toward Multicomponent Organic Semiconductors	260
5P-215	Hoe Min Kim (Hongik University, South Korea)	A Study on the Red Phosphorescent Organic Light-Emitting Diodes with Simple Device Structure	260
5P-216	Seok Jae Lee (Hongik University, South Korea)	High-Efficiency White Phosphorescent Organic Light-Emitting Diodes Using a Buffer Layer of TCTA Material	260

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-217	Long Zhang (Nanjing University of Posts and Telecommunications, China)	Baeyer-Villiger Rearrangement of Fluorenone to Synthesize Stable 4-alkoxy Blue Fluorene Materials	261
5P-218	Jongwook Park (Catholic University, South Korea)	New Blue Emitting Materials Using Indenopyrazine and Anthracene Derivatives for Solution Process	261
5P-219	Jeong Soo Hong (Kyungwon University, South Korea)	Preparation of Passivation Films For Organic Light Emitting Device (OLED) by FTS method	261
5P-220	Marco Mazzeo (University of Salento, National Nanotechnology Laboratory of CNR-INFM, Italy)	Resonant Coupled Microcavity in White OLEDs	261
5P-221	Takeshi Yamada (Sumitomo Chemical Co., Ltd., Japan)	Role of PL Decay in Degradation of Polymer Light Emitting Diode	262
5P-222	Maggie Mei Yee Chan (The University of Hong Kong, Hong Kong)	Effects of Dye Interlayer on the Performance of Organic Photovoltaic Devices	262
5P-223	Ji-Ping Yang (Hefei University of Technology, China)	Electronic Affinity-Dependent Bimolecular Quenching in Thiophenes/Fullerenes Mixtures in Solution	262
5P-224	Wonho Lee (Pusan National University, South Korea)	Cyclopentadithiophene-Based Low Bandgap Copolymers for Photovoltaic Cells	262
5P-225	Wu-Jang Huang (National Pingtung University of Science and Technology, Taiwan)	A Simple Method for Preparing Polymer Films Containing Highly Dispersed TiO ₂ for Flexible Polymeric Solar Cell Use	263
5P-226	Akihito Shigematsu (Kyushu University, Japan)	Water-Mediated Proton Conductivity of Coordination Polymer M(OH)(bdc)	263
5P-227	Takashi Kobayashi (Osaka Prefecture University, Japan)	Photocarrier Dynamics in P3HT/PCBM Bulk Heterostructures	263
5P-228	Gi Hwan Kim (Ulsan National Institute of Science and Technology, UNIST, South Korea)	Influence of Various PEDOT:PSS on Polymer Solar Cells	263

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
5P-229	Myoung Hee Yun (Ulsan National Institute of Science and Technology, South Korea)	Solvent Annealing Effect in Polymer Solar Cells Using Poly(3-hexylthiophene) and Novel Fullerene Derivative	264
5P-230	Samuel Foster (Imperial College London, United Kingdom)	Influence of Energetic and Spatial Disorder on Mobility in Fullerene Multi-adducts	264
5P-231	Shuai Zhang (Tokyo Institute of Technology, Japan)	C ₆₀ /Phthalocyanine Nanoparticles with p-n Junctions: Fabrication and Their Properties on Visible-Light-Response Photocatalysis	264
5P-232	Jongwon Hwang (Pusan National University, South Korea)	Performance Characteristics of PIN Photovoltaic Cells Using Pentacene as a Hole Transport Layer	264

POSTER SESSION

TUESDAY, JULY 6

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-001	Yijie Xia (National University of Singapore, Singapore)	Highly Conductive PEDOT:PSS Films Processed through Salts/Acids Treatment and Their Application as Transparent Anode of Organic Photovoltaic Devices	265
6P-002	Aysegul Uygun (Suleyman Demirel University, Turkey)	Synthesis and Properties of TiO ₂ /polythiophene Nanocomposites by Rf-Plasma Method	265
6P-003	Satoshi Matsushita (Kyoto University, Japan)	Morphology-Controlled Helical Polyacetylenes Available for Carbonization Precursors Producing Helical Graphites	265
6P-004	Ajeong Choi (Seoul National University, South Korea)	The Electric Field Dependent Magneto Resistance in Polyacetylene Nanofibers: The Diminishing Magneto Resistance (DMR)	265
6P-005	Hema Bhandari (National Physical Laboratory, India)	Development of Antifouling and Anticorrosive Coating of Poly(aniline-co-amino-naphthol-sulphonic acid)	266
6P-006	Roopali Goomer (National Physical Laboratory, India)	Electrodeposition and Corrosion Protection Behavior of Thin Poly(aniline-co-amino-naphthol-sulphonic acid) Film on Iron Surface	266
6P-007	Toshiyasu Hibino (Waseda University, Japan)	Electroactive Polymer Composites: Oxidative Polymerization, Morphology, Electrical and Electrochemical Properties	266
6P-008	David Pahovnik (National Institute of Chemistry, Slovenia)	Versatile Polyaniline Nanostructures Prepared in Aqueous Ionic Liquids Solutions	266
6P-009	Takumi Ikenoue (Kyoto University, Japan)	Fabrication of PEDOT:PSS Thin Films by A Novel Ultrasonic Spray Assisted Mist Deposition Technique	267
6P-010	Benedict Arcena San Jose (Kyoto University, Japan)	Chiral Polyacetylene Derivatives Bearing Liquid Crystalline Moieties with Polarized Functionality	267
6P-011	Kazuhiko Namiki (Nara Institute of Science and Technology, Japan)	Coordination Polymer Composed of Luminescent Eu(III) Complexes	267
6P-012	Hideaki Komiyama (Tokyo Institute of Technology, Japan)	Electropolymerization of Conducting Polymer in PEO Cylinders in PEO- <i>b</i> -PMA(Az) Block Copolymer Thin Film	267

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-013	Jin Woo Lee (Korea University, South Korea)	Nanoscale Optical Characteristics of Multi-Dimensional Rubrene Nanocrystals	268
6P-014	Seok Ho Lee (Korea University, South Korea)	Characteristics of Hydrothermal Treated Poly (3-hexylthiophene) Nanoparticles	268
6P-015	Jin Sun Jung (Korea University, South Korea)	Optoelectronic Characteristics of Self-Assembled Organic Copper Phthalocyanine Nanowire and Rectangular Nanotube	268
6P-016	Yasumasa Fujiwara (Osaka University, Japan)	Fluorescence Enhancement of a Conducting Polymer by Surface Plasmon on Biharmonic Silver Gratings	268
6P-017	Yong Baek Lee (Korea University, South Korea)	Nanoscale Optical Properties of Hybrid Nanoparticles of P3HT and PCBM	269
6P-018	Fumiyasu Ishiguro (Kyoto University, Japan)	Transparent Conductive Films Based on Polymer Composites Containing the Mixed-Valence Tetrathiafulvalene Nanowires	269
6P-019	Takuji Kawamura (Kobe University, Japan)	β -Phase Poly(9,9'-didodecylfluorene) Thin Films	269
6P-020	Hitoshi Fukui (Osaka University, Japan)	Theoretical Study of Charging Effect on Third-Order NLO Properties of Singlet Diradical Compounds	269
6P-021	Takashi Hirahara (Sophia University, Japan)	Chiral Substituent Effect of Polyfluorene-Thiophene Copolymers	270
6P-022	Ting-Jung Hsu (National Cheng Kung University, Taiwan)	Synthesis of Recognition Matrix from 4-Methylamino-N-Allylnaphthalimide with Fluorescent Effect for Creatinine	270
6P-023	Chau-Rung Ke (National Cheng Kung University, Taiwan)	Electrospun Fabrication of Dextran Nanofibrous Composite with Different Effects	270
6P-024	Shunya Takeuchi (Waseda University, Japan)	Morphological Investigation of Charge Transport Properties for TEMPO/Ion-Incorporated Block Copolymer Films toward Organic Nonvolatile Memory	270

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-025	Yasuo Miyake (National Institute of Advanced Industrial Science and Technology, Japan)	Carrier Mobility Behavior of Alkylphthalocyanines	271
6P-026	Yan Fang Geng (The University of Tokyo, Japan)	Synthesis of Poly(3-alkylthiophene-alt-3-semifluoroalkylthiophene)s and Their Application for Organic Electronics	271
6P-027	Yusuke Kuroda (Kobe University, Japan)	Epitaxial Growth of Vinylidene Fluoride Oligomer on Friction-Transfer Layer of Ferroelectric Polymer	271
6P-028	Yuna Kim (Yonsei University, South Korea)	The Patterning of Conducting Polymers for Electrochromic Devices	271
6P-029	Byeongwan Kim (Yonsei University, South Korea)	Preparation of Conductive Adhesive from Nanostructured Poly(thiophene)s	272
6P-030	Kenta Kokado (Graduate School of Engineering, Kyoto University, Japan)	Synthesis of Novel Luminescent Materials Based on Carboranes	272
6P-031	Motonobu Takahashi (The University of Tokyo, Japan)	Synthesis and Properties of Fused-aromatic Compounds with Phosphole and Furan Rings	272
6P-032	Jing Liang (Institute of Advanced Materials, IAM, China)	Facile Synthesis of Nano-Scale Morphology Controlled Spiro-Benzo-Acridine Semiconductors and Approach toward Adjusting the π - π Supramolecular Interaction	272
6P-033	Anju Dhillon (University of Delhi, India)	Dielectric Spectroscopy of Polypyrrole-ZnO Nanoparticle Composites	273
6P-034	Yusuke Wakikawa (Niigata University, Japan)	Electron Acceptor Dependence of the Photocarrier Dynamics in Self-Assembled Hexabenzocoronene Nanotube	273
6P-035	Csaba Janaky (University of Szeged, Hungary)	Conjugated Polymer Based Magnetic Hybrids for Electrocatalytic Applications	273
6P-036	Kazuyoshi Watanabe (Kyoto University, Japan)	Circularly Polarized Luminescence of Ionic Conjugated Polymers with Induced Chirality	273

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-037	Joo Young Shim (Pusan National University, South Korea)	Syntheses and Properties of PCPP Derivatives with DTBT for OPVs	274
6P-038	Ji Eun Koh (Pusan National University, South Korea)	Synthesis and Characterization of Novel Polymers Derived from Fluorene with C60 for OPVs	274
6P-039	Inyoung Son (Pusan National University, South Korea)	Syntheses and Properties of Conjugated Polymer Based on PININE with BT Derivatives for OPVs	274
6P-040	Amall Ahmed Ramanathan (University of Jordan, Jordan)	Structure and Magnetism of the V/Ta(001) Surface: A DFT Calculation	274
6P-041	Masashi Shiotsuki (Graduate School of Engineering, Kyoto University, Japan)	Synthesis of End-functionalized Poly(phenylacetylene)s with Well-Defined Pd Catalysts	275
6P-042	Shinuk Cho (University of California at Santa Barbara, United States)	Titanium Sub-Oxide as a Functional Material for Organic Electronics	275
6P-043	Jonas Alves Fernandes (Kyoto University, Japan)	Oligothiophene-Layered Polymers	275
6P-044	Kihyun Kim (Korea University, South Korea)	Fabrication and Photo-Responsive Characteristics of Hybrid Nanotubes/Nanowires Using π -Conjugated Organic Materials	275
6P-045	Naoya Onishi (Graduate School of Engineering, Kyoto University, Japan)	Polymerization of Phenylacetylene Catalyzed by an Rh Complex Bearing Tetrafluorobenzobarrelene	276
6P-046	Eun Hei Cho (Korea University, South Korea)	Evolution of Optical and Structural Properties of Organic Perylene Nanoparticles	276
6P-047	Mi Suk Kim (Korea University, South Korea)	Control of Optical Properties of Rubrene Nanoparticles	276
6P-048	Chin Sien Teo (National Taiwan University, Taiwan)	Enhancing the Performance of P3HT/TiO ₂ Solar Cells by Using Conjugated Molecules as Interface Modifier	276

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-049	Jung Hwa Seo (University of California, Santa Barbara, United States)	Improved Injection in n-Type Organic Transistors with Conjugated Polyelectrolytes	277
6P-050	Yiyu Feng (Tianjin University, China)	Optical Modulation of a Graphene Oxide-Azobenzene Hybrid	277
6P-051	Shigenori Matsui (Hiroshima University, Japan)	Synthesis and Phosphorescence Properties of Dithienobismoles	277
6P-052	Ken Albrecht (Keio University, Japan)	Dendritic Structure Having a Potential Gradient: New Synthesis and Properties of Carbazole Dendrimers	277
6P-053	Vita Solovyeva (Goethe-Universitaet Frankfurt am Main, Germany)	Influence of the Clamping Effect between TTF-TCNQ Thin Film and a Substrate on the Peierls Transition	278
6P-054	Alexei Ivanovich Dmitriev (Institute of Problems of Chemical Physics Russian Academy of Science, Russian Fed.)	Spin Dynamics of Charge Carriers in Process of Localization in α' - and β -(BEDT-TTF) ₂ IBr ₂ Single Crystals	278
6P-055	Yuta Tsuji (Kyushu University, Japan)	Theoretical Study of Conductance through DNA	278
6P-056	Goulven Cosquer (University of Rennes 1, France)	Photophysical Properties of Redox-Active Paramagnetic Coordination Complexes Involving Tuned Amido-Tetrathiafulvalene Ligands	278
6P-057	Yohei Kawakami (Tohoku University, Japan)	Infrared 10 fs Spectroscopy of Photoinduced Insulator to Metal Transition in Layered BEDT-TTF Salts	279
6P-058	Keisuke Itoh (Tohoku University, Japan)	THz Spectroscopy of κ -(BEDT-TTF) ₂ Cu ₂ (CN) ₃ ; Motional Narrowing of Phonon Spectrum Driven by Fast Fluctuation of Dimer Dipole	279
6P-059	Sho Taniguchi (Tokyo Metropolitan University, Japan)	ESR Study of the Electronic States in β' -(BEDT-TTF) ₂ ICI ₂ under up to 10 GPa in a Cubic Anvil Cell	279
6P-060	Hiromi Taniguchi (Saitama University, Japan)	Crystal Growth of Charge-Transfer Complexes under High Pressure	279

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-061	Hengbo Cui (RIKEN, Japan)	High Pressure Electrical Properties of Molecular Conductor β' -Me ₄ P[Pd(dmit) ₂] ₂ by Using a Diamond Anvil Cell	280
6P-062	Akira Funabiki (Kobe University, Japan)	Nanosized Metal Phthalocyanine Complexes Prepared by Milling Technique	280
6P-063	Hirohito Aizawa (The University of Electro-Communications, Japan)	Effective Model for α -[(S,S)-DMDH-TTP] ₂ AuI ₂ Based on <i>Ab-initio</i> Calculation	280
6P-064	Hideo Yoshioka (Nara Women's University, Japan)	Effects of Disorder on Charge Ordering Transition in Quasi-One-Dimensional Molecular Conductors	280
6P-065	Jin-Yeol Kim (Kookmin University, South Korea)	Fabrication of a Highly Transparent Conductive CNT-ICP Nanocomposite Films via Gas-Phase Polymerization	281
6P-066	Masataka Nishiwaki (Ehime University, Japan)	Structures and Properties of CP-TTP Conductors	281
6P-067	Naoto Fukazawa (Tokyo Institute of Technology, Japan)	Ultrafast Photoinduced Phenomenon in Charge Ordered β'' -(BEDT-TTF)(TCNQ)	281
6P-068	Hiroyuki Nishikawa (Ibaraki University, Japan)	Syntheses and Structures of TTF-Based Paramagnetic Metal Complexes	281
6P-069	Kenta Miyoshi (Osaka City University, Japan)	Multi-Mode Peierls States in Triangular Lattice and in Quasi-One-Dimensional Lattice	282
6P-070	Hideyuki Sato (Saitama University, Japan)	Studies on Superconductivity of κ -(BEDT-TTF) ₄ Hg _{3-δ} X ₈ (X=Br, Cl) by AC Susceptibility Measurements	282
6P-071	Kazuyoshi Yoshimi (Tokyo Medical and Dental University, Japan)	Negative Charge Compressibility Induced by Charge Fluctuations	282
6P-072	Toshinori Yanai (Saitama University, Japan)	The Measurement on Angle-Resolved Thermoelectric Power in a Layered Organic Conductor	282

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-073	Jishan Wu (National University of Singapore, Singapore)	New Soluble and Stable Near Infrared Dyes	283
6P-074	Ali Suliman Alanazi (King Saud University, Saudi Arabia)	Blood Compatibility of DLC Films	283
6P-075	Seung Jae Baek (Seoul National University, South Korea)	Photoluminescence of Hydrogenated Graphene	283
6P-076	SeungJoo Park (Seoul National University, South Korea)	A New Nonvolatile Memory Device Made of Microelectromechanical System and Carbon Nanotube Field Effect Transistor	283
6P-077	Changduk Yang (Ulsan National Institute of Science and Technology, UNIST, South Korea)	Heteroanalogues of PCBM: N-Bridged Imino-PCBMs for Electronic Applications	284
6P-078	Sung Ju Hong (Seoul National University, South Korea)	Magneto-Thermoelectric Power of Few-Layer Graphene Film	284
6P-079	Kyohei Yoneda (Osaka University, Japan)	Spin Polarization and Third-Order Nonlinear Optical Properties of Nanographenes Composed of Trigonal Graphene Nanoflake Units	284
6P-080	Taewoo Kim (Seoul National University, South Korea)	Carbon Nanotube Spray Coating Efficiency	284
6P-081	Tran Thanh Tung (Korea University, South Korea)	Poly(ionic liquid)-modified SWNTs with Poly(3,4-ethylenedioxy thiophene) Composite and Its Properties	285
6P-082	Woojung Chung (Nara Institute of Science and Technology, Japan)	Stiffness-Dependent Conformation Changes of Polysilanes by Wrapping on Single-Walled Carbon Nanotubes	285
6P-083	Yuta Takano (University of Tsukuba, Japan)	Synthesis of the Donor-Acceptor Hybrids Based on π -Extended Tetrathiafulvalene and Active Fullerenes for New Photo-Functional Molecular System	285
6P-084	Daiki Tanaka (Hiroshima University, Japan)	Solubilization of Single Walled Carbon Nanotube and Attachment on Inorganic Oxide Surface	285

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-085	Luke Joshua Sweetman (University of Wollongong, Australia)	Permeability and Antimicrobial Activity of SWNT Buckypapers Containing Biopolymers and Antibiotics	286
6P-086	Shijie Xie (Shandong University, China)	A Theory for Magnetic-Field Effects of Nonmagnetic Organic Semiconducting Materials	286
6P-087	Yao Yao (Fudan University, China)	Magnetic Field Modulated Exciton Generation in Organic Light-Emitting Diodes	286
6P-088	Saori Nakajima (Sophia University, Japan)	mSR Study on Triangular Lattice Magnet k -(BEDT-TTF) ₂ Cu ₂ (CN) ₃	286
6P-089	Jingping Zhang (Northeast Normal University, China)	Room Temperature One Dimensional Chain Magnets	287
6P-090	Irena Kulszewicz-Bajer (Warsaw University of Technology, Poland)	Ferromagnetic Spins Interaction in Alternating Oligo- and Polyanilines	287
6P-091	Kazuya Muramoto (Osaka University, Japan)	An Origin of Reduction of Spin Injection Signals under an Application of High Bias Voltages in a Multi-Layer-Graphene Spin Valve	287
6P-092	Jun Ishiyama (Waseda University, Japan)	Benzotrithiophene-Linked Poly(aminium radical)s: Enhanced Spin Delocalization Through Benzotrithiophene to Form High-Spin Organic Molecules	287
6P-093	Tatsuro Kubota (Kyoto University, Japan)	Exotic Symmetry Breaking in the Quantum Spin Liquid in the Triangular-Lattice Mott Insulator EtMe ₃ Sb[Pd(dmit) ₂] ₂	288
6P-094	Kyohei Koiwai (Osaka University, Japan)	Characteristics of Top-Gated Type Ambipolar, Light-Emitting Organic Field Effect Transistors Utilizing Polyfluorene Derivatives	288
6P-095	Tomoyoshi Yukimoto (Chiba University, Japan)	Organic Thin Film Transistor Memory Fabricated with DNA Complex as a Gate Dielectric	288
6P-096	Tomoo Fukushima (Chiba University, Japan)	Effect of Molecular Alignment at Organic Semiconductor/Polypeptide Interface on Memory Performance of an Organic TFT	288

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-097	Yoshitaka Makino (Kyoto Institute of Technology, Japan)	Electrically-Excited Spectrally-Narrowed Emissions on a Transistor Device Equipped with a Distributed Feedback Resonator	289
6P-098	Yuta Nakanishi (Osaka University, Japan)	Fabrication and Characteristics of Solution Processed Organic Field-Effect Transistors Using Poly(p-silsesquioxane) Derivatives as the Gate Insulators	289
6P-099	Shun-ichiro Watanabe (Nagoya University, Japan)	ESR Observations of Field-Induced Polarons on Ultrathin-Film Transistors of Poly(3-hexylthiophene) with In-Plane Preferential Chain Orientations	289
6P-100	Ryoma Hayakawa (National Institute for Materials Science, Japan)	Single-Electron Tunneling Behaviors of Molecular Coulomb Islands Embedded in Metal-Insulator-Semiconductor Structure	289
6P-101	Xinqian Li (Kyushu University, Japan)	Theoretical Study of Electron Transport Properties in Single Molecular Devices with Impurity Defects	290
6P-102	Raul Garcia (Complutense University of Madrid, Spain)	Molecular Nanowires Based on Tetrathiafulvalene (TTF) and π -Extended Tetrathiafulvalene (exTTF)	290
6P-103	Hayato Kakizoe (Kyushu University, Japan)	Electroluminescence Mechanism in Ambipolar Transistor Based on Dye-Doped Organic Crystal	290
6P-104	Mayumi Uno (TRI Osaka, Japan)	A Method of Measuring Anisotropic Conductivity in Organic Semiconductors with Improved Precision	290
6P-105	Ryousuke Matsubara (Chiba University, Japan)	Influence of Substrate-Surface Treatments on Carrier Transport and Crystal Structures in Pentacene Films	291
6P-106	Toshiyuki Endo (Osaka Prefecture University, Japan)	High Mobility Anisotropy in Polymer Field-Effect Transistors	291
6P-107	Hui Jiang (Kyushu University, Japan)	Double-Insulating Organic Electroluminescence Using ITO and Au NPs as Charge Generation Centre	291
6P-108	Hideyuki Utsumi (Osaka University, Japan)	Optical and Electrical Properties and Annealing Effects of High Conductive and Laser Emissive π -Conjugated Polymer Composite Films	291

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-109	Tomohumi Ikeda (Osaka University, Japan)	Effect of LiF at the Al Cathode/Organic Layer Interface of Organic Light-Emitting Diodes with LiFAI Alloy Cathode	292
6P-110	Toshinari Kojima (Osaka University, Japan)	Emission characteristics and Transient Electroluminescence of Multilayer Polymer Light-Emitting Diodes using Fluorene Derivatives	292
6P-111	Tae-Hee Han (Pohang University of Science and Technology, POSTECH, South Korea)	Realization of a Very High Luminous Efficiency in Simplified Small-Molecule Organic Light-Emitting Diodes with a Polymeric Hole Injection Layer	292
6P-112	Chao Cai (Yamagata University, Japan)	Efficient Blue Phosphorescent Homojunction Organic Light-Emitting Devices	292
6P-113	Toshiro Oyama (Yamagata University, Japan)	Bipyridyl-Bifluorene Compounds: Their Synthesis, Electron Transporting and Electroluminescent Properties for OLEDs	293
6P-114	Naoya Aizawa (Yamagata University, Japan)	A Solution Processable Host Material for Phosphorescent OLED Applications	293
6P-115	Takeshi Tamura (Osaka University, Japan)	Organic Light-Emitting Diodes Using an Emissive Material with High Hole Drift Mobility	293
6P-116	Yadong Wang (Osaka University, Japan)	Emission Characteristics and Degradation Process of Low Molecular Organic Light-Emitting Diodes with Highly-Conductive Polymer Anode	293
6P-117	Ji Hoon Seo (Hongik University, South Korea)	High Efficiency White Organic Light-Emitting Diodes with Dual Electron Transporting Layers	294
6P-118	Kazuki Oshima (University of Tsukuba, Japan)	Evaluation of Charge-Trap Sites in Organic Light-Emitting Diodes by ESR	294
6P-119	Korefumi Kubota (Kyushu University, Japan)	Organic Light-Emitting Diodes with Liquid Emitting Layer	294
6P-120	JunYun Kim (Kyushu University, Japan)	Control of Orientation of Star-Shaped Amorphous Films in OLEDs Aimed for Low Driving Voltage	294

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-121	Keigo Sato (Kyushu University, Japan)	Emission Mechanism of High Efficiency Thermally Activated Delayed Fluorescence and The Application to Organic Light Emitting Diodes	295
6P-122	Danilo Olzon-Dionysio (Universidade de Sao Paulo, Brazil)	OLED with Deliberated Hybrid Organic/Metal Interface	295
6P-123	Yasunori Matsui (Osaka Prefecture University, Japan)	Thermoluminescence from the Excited Biradical: A Study Intended to the Development of New OLED	295
6P-124	Wallace Wing Ho Wong (University of Melbourne, Australia)	Self-Assembled Ambipolar Materials for Organic Electronics	295
6P-125	Tetsuro Hori (Osaka University, Japan)	Effect of Inserting Semiconductor Oxide Layer for Interpenetrating Heterojunction Organic Solar Cells	296
6P-126	Hideo Ohkita (Kyoto University, Japan)	Trap-Free and Trap-Limited Hole Transport in Polythiophene/Fullerene Blend Films	296
6P-127	Kazuo Tominaga (Kyushu Institute of Technology, Japan)	Spectroscopic and Electrochemical Investigations of Thiophene Oligomers and Copolymers Containing Fluorenone or Benzothiadiazole Units: A Combined Experimental and Theoretical Study	296
6P-128	Junki Sakamoto (Osaka University, Japan)	Photocurrent Enhancement by Localized Electric Field on Metal-Insulator-Metal Structure	296
6P-129	Akihiro Katsura (Osaka University, Japan)	Effects of Doping Phosphorescent Materials for Organic Photodetectors Using Conducting Polymers	297
6P-130	Shunsuke Yamamoto (Kyoto University, Japan)	Formation Dynamics of Fullerene Cation in Low-Bandgap Polymer Solar Cells	297
6P-131	Naoki Fukuoka (Osaka University, Japan)	Fabrication of Tandem Solar Cells with Interpenetrating Heterojunction Structure Utilizing Conducting Polymer and Fullerene	297
6P-132	Akira Tada (The University of Tokyo, Japan)	Control of Interfacial Properties in Organic Solar Cells by Contact Film Transfer Method	297

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-133	Seiichiro Izawa (The University of Tokyo, Japan)	Synthesis of Low Band Gap Dyad Molecules for Photocurrent Response with Longer Wavelength	298
6P-134	Hiroki Moritou (Osaka University, Japan)	Fabrication of Organic Photovoltaic Cells by Lamination Method	298
6P-135	Hiroyuki Saeki (Kobe University, Japan)	Behavior of Current-Voltage Characteristics of Polythiophene: Fullerene Solar Cell Just after Deposition of Metal Cathode	298
6P-136	Shoji Miyanishi (The University of Tokyo, Japan)	Control of Donor-Acceptor Morphology in Polymer Solar Cells by Using Well-Defined Fullerene Attached All-Conjugated Block Copolymer	298
6P-137	Jiun-Lin Lin (National Cheng Kung University, Taiwan)	Enzymatic Biofuel Cell with Aniline-Based Conducting Copolymer Layer for the Power Investigation	299
6P-138	Kohei Kusada (Kyushu University, Japan)	Hydrogen-Storage Properties and Synthesis of Solid-Solution Type AgRh Nanoparticles	299
6P-139	Daisuke Harada (Waseda University, Japan)	Charge Storable Poly(2-vinylanthraquinone) Anodes for Organic Rechargeable Air Battery	299
6P-140	Natsuru Chikushi (Waseda University, Japan)	TEMPO-Substituted Polyacrylamide as a Hydrophilic Electrode-Active Material	299
6P-141	Kentaro Haraguchi (Waseda University, Japan)	Temperature Dependence of Charge Propagation in Radical Polymer-Modified Electrodes	300
6P-142	Seunguk Noh (Seoul National University, South Korea)	Efficient Inverted Solar Cells with ZnO Films as a Buffer Layer	300
6P-143	Atsushi Kosuga (University of Tsukuba, Japan)	Enhancement of Efficiency of Bulk-Heterojunction Organic Thin-Film Solar Cells by Inserting Metal-Nanoparticles Layers	300
6P-144	Mihai Irimia-Vladu (Johannes Kepler University, Austria)	Natural Materials in Organic Field Effect Transistors	300

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-145	Norihito Kobayashi (Tokai University, Japan)	Single Crystal Organic Field-Effect Transistors Based on Chrycene Derivatives	301
6P-146	Hyo Sung Choi (UNIST, South Korea)	Enhanced Open-Circuit Voltage by Hydrophilic Ionic Liquids as Buffer Layer in Conjugated Polymer - Nanoporous Titania Hybrid Solar Cells	301
6P-147	Wonjun Lee (KAIST, South Korea)	Synthesis of Alkylated Sulfonated Poly(arylene sulfone)s	301
6P-148	Takayuki Shibata (University of Tsukuba, Japan)	Improvement of Device Properties of Prussian Blue Junction	301
6P-149	Yutaro Kurihara (University of Tsukuba, Japan)	Valence-Differential Spectroscopy of Cyanide Films	302
6P-150	Hisashi Ichikawa (Kyushu University, Japan)	Switching Characteristics of Organic Electrical Bistable Device Utilizing Hyperbranched Polymer and Gold Nanoparticle Composite	302
6P-151	Hong-Wei Chang (National Taiwan University, Taiwan)	OLEDs Integrated with Internal Scattering Structure for Optical Out-Coupling Enhancement	302
6P-152	Cedric Mayer (University of Versailles, France)	Design of Organic-Based Chromophores for Targeted Applications: Photoluminescence, 2nd Order NLO and Opto-Electronics	302
6P-153	Sangbum Ahn (Kyoto University, Japan)	Chirality-Controlled Polymerization for Aromatic Conjugated Copolymer: Synthesis of Poly(bithienylene) Derivatives in Thermally Helical Sense-Switchable Asymmetric Liquid Crystal Reaction Field	303
6P-154	Takuya Minami (Osaka University, Japan)	Control-NOT Gate Utilizing Two-Exciton State in Orthogonally Oriented Dimer System	303
6P-155	Takahiro Nakae (Ehime University, Japan)	Symmetric Halogenated Polyaromatic Compounds: Synthesis and Behavior -Towards 2D Network Polymer-	303

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-156	Shingo Tamesue (Osaka University, Japan)	Supramolecular Fastener -Photoswitchable Hydrogel Formed by Cyclodextrin and Azobenzene Polymers-	303
6P-157	Nobuya Hiroshiba (National Institute of Materials Science, Japan)	Optical and Electrical Properties of Molecular Superlattice Thin Films	304
6P-158	Yuichiro Kutsunugi (Nara Institute of Science and Technology, NAIST, Japan)	Photochromic Terarylenes Having Extended π -Conjugation on their Central Aromatic Ring	304
6P-159	Shih Zhan Huang (National Taipei University of Technology, Taiwan)	Flexible Polymer Solar Cells Using Self-Assembled Monolayer as Electron Blocking Layer	304
6P-160	Tetsuya Nakagawa (Nara Institute of Science and Technology, Japan)	Nondestructive Readout Capability in Luminescence Modulation of a Photochromic Europium(III) Complex	304
6P-161	Takuya Nakashima (Nara Institute of Science and Technology, Japan)	Photo-Switching Ionic Materials	305
6P-162	Sayo Fukumoto (Nara Institute of Science and Technology, Japan)	Photochromic Properties of Diarylacenaphthylene Having 12 π Electron System	305
6P-163	Ryosuke Fujii (Nara Institute of Science and Technology, Japan)	Photoreaction of Terarylene Derivatives with Thieno [3,2-b] Pyridine Rings	305
6P-164	Fumihiko Hirose (Yamagata University, Japan)	6T/n ⁻ Si Organic/Inorganic Heterojunction Diodes Investigated by I-V and C-V Measurements	305
6P-165	Masashi Saitoh (Nara Institute of Science and Technology, Japan)	Syntheses of Cationic Au(I) Complexes and Systematic Control of Photoluminescence in the Crystalline State	306
6P-166	Hisako Nakagawa (Nara Institute of Science and Technology, Japan)	Syntheses of Photochromic Terarylene Having Elimination Units for Optical-Memory Media	306
6P-167	Yu-Tang Tsai (National Taiwan University, Taiwan)	The Optical Properties of Single Organic Light Emitting Nanotube	306

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-168	Junpei Yuasa (Nara Institute of Science and Technology, Japan)	Self-Association of a Zinc Complex of Three Imidazolylanthracene Ligands	306
6P-169	Atsushi Hoshi (Chiba University, Japan)	Evaluation of Thermopower of Organic Thin Films toward Flexible Thermoelectric Power Generators	307
6P-170	Mao Sumino (Kyushu University, Japan)	Thermoelectric Properties of <i>p</i> -doped Pentacene Films for Application in Organic Thermovoltaic Devices	307
6P-171	Masaharu Fujii (Ehime University, Japan)	Fundamental Properties of Conducting Polymer Network Device	307
6P-172	Yuzuri Yasuda (Osaka University, Japan)	Photocatalytic Decomposition of Volatile Organic Compounds in Water Using Visible Light Responsive Organic p-n Junction Semiconductors	307
6P-173	Takashi Harada (Nara Institute of Science and Technology, Japan)	Circularly Polarized Luminescence of Eu(III) Complexes with Chiral Ligands Dependent on their Coordination Structures	308
6P-174	Arunandan Kumar (National Physical Laboratory, India)	Transition from Trap Charge to Injection Limited Conduction with Doping of Liq in Alq ₃	308
6P-175	Yousuke Ochi (Keio University, Japan)	Controlled Storage of Ferrocene Derivatives as Redox Active Molecules in Dendrimers	308
6P-176	Chie Ishibashi (University of Tsukuba, Japan)	Structural Characterization of a Heme-DNA Complex	308
6P-177	Tae Hwan Noh (Pusan National University, South Korea)	Keen Competition between Electrostatic and Argentophilic Interactions in the Formation of Molecular Rings	309
6P-178	Chi Won Kim (Pusan National University, South Korea)	Ring-Conformations via the Competition of Electrostatic and Argentophilic Interaction	309
6P-179	Toshiaki Ikeda (Hiroshima University, Japan)	Self-Assembly of Tris(phenylisoxazolyl)benzene Functionalized with Photoresponsive Groups	309

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-180	Ling-Hai Xie (Nanjing University of Posts and Telecommunications, China)	Spirocyclic Aromatic Hydrocarbons (SAHs)- Synthetic Methodology and Their Functionalized Organic/Polymeric Semiconductors	309
6P-181	Kazuya Sakamoto (Osaka University, Japan)	A Selective Photo-Induced Energy Transfer from a Thiophene Rotaxane to Acceptor	310
6P-182	Daisuke Inokuchi (Osaka University, Japan)	Crystal Structures and Properties of the Salts of Diprotonated Tetrakis(4-pyridyl)methane	310
6P-183	Yin-Nan Yan (Hokkaido University, Japan)	Fluoroadamantylammonium - Crown Ethers Supramolecular Rotators in [Ni(dmit) ₂] Salts	310
6P-184	Taizo Mori (National Institute for Materials Science, Japan)	Design and Control of Two-Dimensional Molecular Machine by Hand-Operating Nanotechnology	310
6P-185	Jan Labuta (National Institute for Materials Science, Japan)	Detection of Enantiomeric Excess Using Achiral Derivatives of Porphyrin: NMR study	311
6P-186	Hajime Iwamoto (Niigata University, Japan)	Shape-Selective Molecular Recognition in Confined Space Provided by Calix[4]arene-Capped Porphyrin	311
6P-187	Yasuo Norikane (AIST, Japan)	Isomer Stability in Macrocyclic Azobenzene Dimer	311
6P-188	Shih-Kai Chou (National Cheng Kung University, Taiwan)	Hemin Conjugated Ligand for the Molecular Inclusion Investigation	311
6P-189	Jungmin Ahn (Pusan National University, South Korea)	Formation and Related-Behavior of Micro-bowl Morphology Consisting of Ionic Palladium(II) Complexes	312
6P-190	Katsuhiko Inagaki (Hokkaido University, Japan)	Nonlocal Transport Phenomenon in o-TaS ₃	312
6P-191	Lijuan Zhang (The University of Auckland, New Zealand)	Self-Assembled Micro/Nano Poly(o-methoxyaniline) Hollow Spheres	312

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-192	Masaaki Sadakiyo (Kyoto University, Japan)	Proton Conduction in an Oxalate-Bridged Honeycomb Shaped Metal-Organic Framework	312
6P-193	Mitsuo Hara (Nagoya University, Japan)	Formation of Flat π -Conjugated Plane from Amphiphilic Discotic Molecules at the Air-Water Interface	313
6P-194	Chieh-Tsung Lo (National Cheng Kung University, Taiwan)	Self-Organization of Magnetic Nanorods in a Homopolymer Matrix	313
6P-195	Naoyuki Yamasaki (Osaka University, Japan)	Oriented π -Conjugated Polymer Films Fabricated by A Novel Method and Their Optical and Electrical Properties	313
6P-196	Shinsuke Yamamoto (Kyoto University, Japan)	Morphology-Retaining Carbonization for Helical Graphite Using Helical Polyacetylene as a Precursor	313
6P-197	Tomohiro Seki (Chiba University, Japan)	Supramolecular Organization of Perylene Bisimide Dyes through Complementary Hydrogen Bonds	314
6P-198	Weng On Yah (Kyushu University, Japan)	Molecular Aggregation State of Terthiophene Derivatives on Aluminosilicate Nanotube Imogolite	314
6P-199	Francesco Tassone (Istituto Italiano di Tecnologia, Italy)	Photoluminescence from Higher Energy States in a Layer by Layer Assembled Hybrid Organic-Inorganic Film	314
6P-200	Yehdong Han (Kyoto University, Japan)	Powerful Helicity Inducers for Affording Helical Polyacetylene with Single Fibril Morphology	314
6P-201	Hiroaki Ninomiya (Niigata University, Japan)	Synthesis of Poly(1,3-phenyleneethynylene)s with Pendant Galvinoxyl, Chiral and Hydrophilic Moieties, and Their Forming Ability of Helical Foldamer	315
6P-202	Yasuhiro F. Miura (Toin University of Yokohama, Japan)	Structure and Electrical Properties of Highly Conductive Au(dmit) ₂ Langmuir-Blodgett Films	315
6P-203	Seong Jib Choi (University of Tsukuba, Japan)	Hydrogen Bonding Polymer with TTF Moiety for Electrical Conductive Supramolecular Material	315

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-204	Yuya Bando (Ritsumeikan University, Japan)	Solid-State Assemblies of π -Conjugated Anion-Responsive Molecules	315
6P-205	Jarnuzi Gunlazuardi (University of Indonesia, Indonesia)	Photo Electrochemical System Employing $\text{TiO}_2/\text{SnO}_2$ Working Electrode For Determination of Chemical Oxygen Demand in Water	316
6P-206	Takamichi Ito (Takano Co.,Ltd., Japan)	PEDOT/PSS Bending Actuators	316
6P-207	Kuo-Yu Lee (National Taipei University of Technology, Taiwan)	A New Application of Silicon-Based Cantilever for CMOS-MEMS Probe	316
6P-208	Ying-Ren Chen (National Taipei University of Technology, Taiwan)	A Novel Design for CMOS-MEMS Directional Microphone Array	316
6P-209	Masaki Fuchiwaki (Kyushu Institute of Technology, Japan)	Feedback Control of an Ionic Conducting Polymer Soft Actuator	317
6P-210	Meng Lin (Sungkyunkwan University, South Korea)	Electrochemical Detection of Lead Ion Using a Peptide Modified Biosensor	317
6P-211	I Hsiu Cheng (National Cheng Kung University, Taiwan)	Amperometric Sensing of Bilirubin from Its Specific Uptake via the Fabrication of the Imprinted Poly(vinylimidazole-EGDMA) Film onto Au Substrate	317
6P-212	Pin Hung Chen (National Cheng Kung University, Taiwan)	Amperometric Sensing of Urea by the Immobilized Urease Conducting Polymer Fabricated onto Carbon Paper	317
6P-213	Jean-Baptiste Simon Vaney (Kyushu Institute of Technology, Japan)	Efficient Electrochemical Luminescence of Rubrene in DMF/Benzene Solvent Systems	318
6P-214	Masaki Ishii (Kyushu Institute of Technology, Japan)	Electrochemistry of Polypyrrole Films Using Various Dopant	318
6P-215	Tarushee Ahuja (Delhi Technological University, India)	A Modified Interdigitated Micro-Electrode Embedded Micro-Fluidic Device for the Detection of Uric Acid	318

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-216	Grzegorz Lisak (Laboratory of Analytical Chemistry and Centre for Process Analytical Chemistry and Sensor Technology, ProSens, Process Chemistry Centre, Finland)	Electrochemical Behaviour of Poly(benzopyrene) Films Doped with Eriochrome Black T as a Pb ²⁺ -Selective Sensors	318
6P-217	Nicolas Festin (University of Cergy Pontoise, France)	Conducting IPN Actuator for Biomimetic Eye Vision System	319
6P-218	Jiao Yang (Sungkyunkwan University, South Korea)	Hydrogen Peroxide Detection Using Polypyrrole/ Prussian Blue Modified Electrode	319
6P-219	Teruyuki Shinonome (Kyushu Institute of Technology, Japan)	Soft Actuators Based on Conducting Polymers and Operation in Ionic Liquids	319
6P-220	Yoshitaka Naka (Kyushu Institute of Technology, Japan)	Optimization Design of Bimorph Conducting Polymer Soft Actuator and Their Application	319
6P-221	Nirton Cristi S Vieira (Universidade de Sao Paulo, Brazil)	PPID/NiTsPc Multilayered Films as Separated Extended Gate-FET for Sensing Hydrogen Peroxide	320
6P-222	Johan Ulrik Lind (Technical University of Denmark, Denmark)	Preparing Bio-Molecule Gradients on PEDOT-N ₃ Using Electro-Click Reactions	320
6P-223	Nori Niimura (Yokohama National University, Japan)	Optical Properties and Function Control of a Hen Egg White Lysozyme with Photochromic Materials	320
6P-224	Norizah Abdul Rahman (The University of Auckland, New Zealand)	Electrospun PLA/PANI and PLA/P(ANI-co-m-ABA) Nanofibres	320
6P-225	Takahide Yokoya (Tokyo Metropolitan University, Japan)	Visualization of Two Different Forms of DNA by STM	321
6P-226	Seyed Jamal Ashrafi (Ferdowsi University of Mashhad, Iran)	Fungal Biosynthesis of Silver Nanoparticles with Help Plant Pathogenic Fungus Rhizoctonia Solani	321

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
6P-227	Aleksandar Staykov (Kyushu University, Japan)	Conductance through Short DNA Molecules	321
6P-228	Katya Marinova Simeonova (Institute of Mechanics, Bulgarian Academy of Sciences, Bulgaria)	Nanoscale Materials (Nanocomposites, Nanowires, Carbon Nanotubes): Computational Modeling and Applications in Molecular, Cell Biology and Nanomedicine	321
6P-229	Mime Kobayashi (Japanese Foundation for Cancer Research, Japan)	Fabrication of Aligned Magnetic Nanoparticles Using Tobamoviruses	322
6P-230	Soichiro Suzuki (Tokyo Institute of Technology, Japan)	Electromagnetic Response of Metallic Microcoils Fabricated through Bio-Templating Process	322
6P-231	Khairul Anuar bin Mat Amin (University of Wollongong, Australia)	Chitosan-TiO ₂ Materials Are Biocompatible With Their Development as Artificial Skin	322
6P-232	Je Moon Yun (KAIST, South Korea)	Multicomponent Protein Patterning by Using pH-sensitive Photoresist	322
6P-233	Bo Zhu (RIKEN Advanced Science Institute, Japan)	Biomimic Conductive Membrane toward Protein-Resistant Biointerace	323

POSTER SESSION

THURSDAY, JULY 8

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-001	Chuanxiang Sheng (Nanjing University of Science and Technology, China)	Ultrafast Optical Probes of Poly(phenylene-vinylene) Films at High Hydrostatic Pressure	325
8P-002	Arief Probo Tjahyono (The University of Auckland, New Zealand)	Polypyrrole Coated Rubber as a Flexible Strain Sensor	325
8P-003	Chun-Guey Wu (National Central University, Taiwan)	Fabrication of Conducting Polyaniline Nano-wire via Friction Nanolithography	325
8P-004	Hideki Kawai (Shizuoka University, Japan)	Highly Ordered Structures of Photosensitized Dendrimers for Laser Medium	325
8P-005	Hiroaki Yonemura (Kyushu University, Japan)	Magnetic Orientation of Nanowires Consisting of Poly(3-alkylthiophene)	326
8P-006	Keishi Nishimura (Kyoto University, Japan)	Synthesis and Chirality Control of Conjugated Polymers by Using Photoresponsive Asymmetric Liquid Crystal Reaction Field	326
8P-007	Yongqing Qiu (Northeast Normal University, China)	Electronic Absorption Spectra and the Second-Order NLO Properties of Cyclometalated Complexes	326
8P-008	Taro Takeuchi (Yokohama National University, Japan)	Phase Transition Dynamics Probed with Photoluminescence due to Self-Trapped Excitons in an Organic Radical TTTA Crystal	326
8P-009	Przemyslaw Krzysztof Ledwon (Silesian University of Technology, Poland)	Electrochemical Properties of Symmetric Oligoarylobenzenes	327
8P-010	Daisuke Kosumi (Osaka City University, Japan)	Femtosecond Spectroscopy of Metal-Substituted Bacteriochlorophyll a	327
8P-011	Yuki Kondoh (Sophia University, Japan)	Fabrication and Evaluation of Polythiophene/Fullerene Derivatives Composite Films for Organic Photovoltaic Devices	327
8P-012	Mikio Sato (Sophia University, Japan)	Fabrication of Organic-Inorganic Nano-Hybrid Materials Containing an Oligothiophene Derivative	327

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-013	Maki Katagiri (Sophia University, Japan)	Synthesis and Characterization of Polythiophenes Having Phosphonic Acid Groups	328
8P-014	Karolis Kazlauskas (Vilnius University, Lithuania)	Phosphorescent Iridium Complexes with Different Number of Charge Transporting Units	328
8P-015	Saulius Jursenas (Vilnius University, Lithuania)	Optical and Electronic Properties of 2-, 2,7- and 3-, 3,6- Substituted Carbazoles	328
8P-016	Hideaki Takahashi (Osaka University, Graduate School of Engineering Science, Japan)	Solvation Effects of Water Molecules on the (Hyper)polarizabilities of Open-Shell Singlet Diradical Molecule	328
8P-017	Makoto Karakawa (ISIR, Osaka University, Japan)	Twisted Polythiophenes as a New Organic Electronics Materials	329
8P-018	Yun Geng (Northeast Normal University, China)	The Influence of Introduction of Gold Atom on Carrier Transport Property of Pentacene-a Theoretical Discussion	329
8P-019	Hongliang Xu (Northeast Normal University, China)	How to Obtain the Nonlinear Optical (NLO) Materials with Large First Hyperpolarizability for Carbon Nanotube?	329
8P-020	Tatsuya Aotake (Ehime University, Japan)	Preparation and FET Properties of Spun-Cast Pentacene Films Prepared from Diketone Precursors	329
8P-021	Shinsuke Ishihara (National Institute for Materials Science, NIMS, Japan)	Photoredox Switching of Quinone Fused Porphyrin	330
8P-022	Ausra Tomkeviciene (Kaunas University of Technology, Lithuania)	2- and 2,7-Substituted Carbazole Derivatives as Effective Bipolar Organic Semiconductors	330
8P-023	Jurate Simokaitiene (Kaunas University of Technology, Lithuania)	Differently Substituted Carbazole and Diphenylamine Adducts as Hole-Transporting Materials	330
8P-024	Masaya Toba (Nara Institute of Science and Technology, Japan)	Syntheses of π -Conjugated Polymers with Imidazolium Units in the Main Chain	330

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-025	Ayumi Hamaguchi (Sophia University, Japan)	Synthesis and Characterization of Organic-Inorganic Layered Perovskite Type Compounds Using Fullerene Derivatives	331
8P-026	Atsushi Asano (Osaka University, Japan)	Comprehensive Analysis of Intrinsic Charge Carrier Mobility in Conjugated Backbones	331
8P-027	Syougo Miyajima (Kyushu Institute of Technology, Japan)	Fabrication of Organic Semiconductor Thin Films with Electrophoretic Deposition Method	331
8P-028	Fumi Koyama (Nara Institute of Science and Technology, NAIST, Japan)	Photochemical Oligomerization between 1, 1, 1-Tribromoethane and Diphenylamine and Electrochemical Characterization	331
8P-029	Tadahiro Shibuya (Yamagata University, Japan)	Synthesis and Solid-State Polymerization of 3-Pyridyl Butadiyne Derivatives	332
8P-030	Masahiro Tsuchida (Niigata University, Japan)	Synthesis of Optically Active Poly(binaphthyl-6,6-diylethynylene-9,10-anthryleneethynylene) Bearing Phenoxylys at 2,7-Positions of Anthracene	332
8P-031	Takahiro Ikeda (Yamagata University, Japan)	Aminostilbazolium Derivatives Substituted by Hydroxyethyl Groups for Second-Order Nonlinear Optics	332
8P-032	Yusuke Urabe (Chiba University, Japan)	Electric Field Assisted Growth of Oriented Organic Crystals and Self-Aligned Growth of an Organic Nano Transistor	332
8P-033	Yasuhito Miyoshi (Nagoya University, Japan)	Electrochemical Doping of Tetrakis(thiadiazole)porphyrazine Thin Films and Its FET Performance	333
8P-034	Kohei Hosoi (Kyushu University, Japan)	Hydrogen-Induced Restructuring and Magnetic Switching in Ni Nanoparticles	333
8P-035	Takahiro Kinemuchi (Yamagata University, Japan)	Fabrication of Surface-Modified Polydiacetylene Fibrous Microcrystals and Their Chemisorption	333
8P-036	Krzysztof Karon (The Silesian University of Technology, Poland)	Spectroelectrochemical Properties of Selected Bicarbazoles and Their Electropolymers	333

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-037	Yoshitaka Matsubara (Tokyo Institute of Technology, Japan)	Femtosecond Time-Resolved Transmission Spectroscopy in a Thin Film of Tetrathiafulvalene- <i>p</i> -chloranil	334
8P-038	Hisashi Kokubo (Yokohama National University, Japan)	Synthesis of Polyether-Grafted π -Conjugated Polymers and Solvent-Dependent and Thermosensitive Optical Properties	334
8P-039	Minoru Ashizawa (Tokyo Institute of Technology, Japan)	Synthesis and FET Properties of New Liquid Crystalline Oligothiophenes	334
8P-040	Malgorzata Zagorska (Warsaw University of Technology, Poland)	Combined Experimental and Theoretical Study of Oligothiophenes Containing Tetrazine Central Unit	334
8P-041	Koji Watanabe (Yamagata University, Japan)	Structures and Electronic Properties of Gel Composed of TTF Derivatives and F ₄ TCNQ	335
8P-042	Yukihiro Takahashi (Hokkaido University, Japan)	Carrier Doping at Organic Crystals Contact Interface	335
8P-043	Rie Suizu (Nagoya University, Japan)	Optical Properties and Photocurrent of Interactive Radical Dimers, BDTDA and its Analogues	335
8P-044	Michiya Fujiki (Nara Institute of Science and Technology, Japan)	Limonene Chirality Transfer Leading to Ambidextrous π -Conjugating Polymer Aggregates	335
8P-045	Run-Feng Chen (Nanjing University of Posts and Telecommunications, NUPT, China)	Theoretical Study of the Electronic Ground States and Low Lying Singlet Excited States of Thiophene-Based Spirofluorenes	336
8P-046	Chao Zheng (Nanjing University of Posts and Telecommunications, NUPT, China)	Theoretical Investigation of Substitution and End-Group Effects on the Electronic Structures and Optical Properties of Poly(<i>p</i> -phenylene vinylene)s	336
8P-047	Zhong-Fu An (Nanjing University of Posts and Telecommunications, NUPT, China)	Triazine-Fluorene <i>p</i> - <i>n</i> Diblock Copolymers for Highly Efficient White-Light Emitting Diode	336
8P-048	Sheng-Lan Zhang (Nanjing University of Posts and Telecommunications, NUPT, China)	Synthesis and Characterization of N-carbazole End-Capped Heterofluorenes	336

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-049	Ramunas Lygaitis (Kaunas University of Technology, Lithuania)	Synthesis and Properties of Novel Vynylene-Bridged Fluorescent Polyethers	337
8P-050	Peng Gao (Max Planck Institute for Polymer Research, Germany)	Heteroheptacenes With Thiophene and Pyrrole Rings	337
8P-051	Satoru Hiroto (Nagoya University, Japan)	Unusual Singlet Biradical Character of Directly-Linked Corrole Dimers	337
8P-052	Mike Melo do Vale (Universidade de Sao Paulo, USP, Brazil)	Organic Planar Waveguides and Wavelength Converters for Photovoltaic and Optical Sensing Applications	337
8P-053	Yasukazu Hirao (Osaka University, Japan)	Electronic Structures and Solid State Properties of Oligoyne-Bridged Bisphenalenyl	338
8P-054	Takashi Okubo (Kinki University, Japan)	Conducting Properties of Cu(I)-Cu(II) Mixed-Valence Coordination Polymers with Dithiocarbamate ligands	338
8P-055	Takashi Kubo (Osaka University, Japan)	Anti-Ferromagnetic State of Conjugated Kekule Molecules	338
8P-056	Jun Yin (Nanjing University of Posts and Telecommunications, NUPT, China)	Theoretical Study of Intramolecular Electron Transfer in a π -Stacked Silafluorene	338
8P-057	Tatsunosuke Matsui (Mie University, Japan)	Terahertz Time-Domain Spectroscopy of Highly-Doped Conducting Polymer Polypyrrole	339
8P-058	Lin Chen (Nanjing University of Posts Telecommunications, China)	One-Pot Tandem Synthesis of 2-Bromo-4,5-diazafluorene-9-one for D-A Organic Semiconductors	339
8P-059	Jae Min Kong (Gwangju Institute of Science and Technology, GIST, South Korea)	Recovery Mechanism of Open-Circuit Voltage in a Tandem Polymer Solar Cell Incorporated with Titanium Oxide/PEDOT:PSS Interlayers	339
8P-060	Mika Kano (National High Magnetic Field Laboratory, United States)	Pressure Induced Phase Transitions of $\text{CuF}_2(\text{H}_2\text{O})_2(\text{pyrazine})$ measured by Tunnel Diode Oscillator Technique	339

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-061	Dong Wang (Tsinghua University, China)	Lattice Thermal Conductivity of Pentacene from Nonequilibrium Molecular Dynamics Simulations	340
8P-062	Yuichi Watanabe (Chiba University, Japan)	Color Electronic Paper System by Three Primary Color Phthalate Derivatives-Based Electrochromic Cells	340
8P-063	Bagrat Khachatryan (Technion-Israel Institute of Technology, Israel)	Studies of Phosphorescence Emission in Pt-Containing π -Conjugated Polymers	340
8P-064	Paula Cristina Rodrigues (UFPR, Brazil)	Synthesis and Properties of a Novel Photovoltaic Terpolymer Containing Benzothiadiazole, Thiophene and Fluorene Groups	340
8P-065	Koji Takagi (Nagoya Institute of Technology, Japan)	Synthesis and Characterization of Imidazole-Based Conjugated Polymers Forming Intramolecular Hydrogen Bonding	341
8P-066	Yoon Deok Han (Korea University, South Korea)	Fabrication and Characteristics of Light-Emitting Ag/Rubrene Core-Shell Hybrid Nanoparticles	341
8P-067	Konstantin Pokhodnya (North Dakota State University, United States)	Characterization of Novel Organic-Based Magnets $V[TCNE]BPh_4$ and $Mn[TCNE]_{1.5}(I_3)_{0.5}$	341
8P-068	Toshio Masuda (Fukui University of Technology, Japan)	DNA-Lipid Complexes Bearing Azobenzene Moieties: Synthesis, Properties, and Photoisomerization	341
8P-069	Christophe Faulmann (LCC-CNRS, and Université de Toulouse; UPS, INPT, LCC, France)	Magnetic and Conductive Polymers Based on Ni-bisdithiolene Moieties	342
8P-070	Nattapong Tongrod (Mahidol University, Thailand)	Experimental and Theoretical Studies on Piezoresistive Behavior of Printed PEDOT/PSS on Paper as Bending/Pressure Sensors	342
8P-071	Takaaki Shinkawa (Saitama University, Japan)	Physical Properties of Organic Mott Insulators, $(BPDT-TTF)_2X$ ($X=ICl_2$, IBr_2 and I_3)	342
8P-072	Takayuki Suzuki (Saitama University, Japan)	Hall Effect on Metallic and Charge-Ordered States in θ - $ET_2CsZn(SCN)_4$	342

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-073	Kota Kodama (University of Tsukuba, Japan)	Charge Transport Mechanism in Charge Ordered State of α' -(BEDT-TTF) ₂ IBr ₂	343
8P-074	Tetsuaki Itou (Kyoto University, Japan)	Superconductivity on the Border of a Spin-Gapped Mott Insulator: NMR and ac Susceptibility Studies of EtMe ₃ P[Pd(dmit) ₂] ₂	343
8P-075	Ryohei Takahashi (Gakushuin University, Japan)	¹³ C NMR Study on α -(BEDT-TTF) ₂ CsCd(SCN) ₄	343
8P-076	Kei Otsuka (Gakushuin University, Japan)	Antiferromagnetic Phase of β' -Pd(dmit) ₂ System	343
8P-077	Akio Yajima (Gakushuin University, Japan)	Anion Dynamics in (TMTSF) ₂ FSO ₃ under Pressure ; ¹⁹ F-NMR	344
8P-078	Yusuke Takada (Gakushuin University, Japan)	¹³ C NMR Evidences of the Zero-Gap State in α -(BEDT-TTF) ₂ I ₃ under Pressure	344
8P-079	Atsuya Ito (Nagoya University, Japan)	Nonlinear Conducting States of α -(BEDT-TTF) ₂ I ₃ Studied by Raman Scattering Measurements	344
8P-080	Yoshiko Tsukiyama (Saitama University, Japan)	Effect of Strain on κ -Type Organic Conductors Fixed on a Glass Substrate	344
8P-081	Yasushi Morita (Osaka University, Japan)	Tetraselenafulvalenes Having Imidazole Ring Systems: Hydrogen-Bonded Structures and Conductive Charge-Transfer Complexes	345
8P-082	Ken-ichi Nakamura (Ehime University, Japan)	Synthesis, Structure and Electrochemical Properties of New TTF Dimers and Trimers	345
8P-083	Tetsuya Furukawa (The University of Tokyo, Japan)	¹³ C NMR Studies on Metallic Phase near Mott Transition in κ -(ET) ₂ X	345
8P-084	Satoshi Yamashita (Osaka University, Japan)	Low-Temperature Heat Capacities of the Quantum Spin Liquid States in Organic Mott Insulators	345

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-085	Shuji Aonuma (Osaka Electro-Communication University, Japan)	Synthesis and Properties of New π -Acceptors: Halogenated N,N' -dicyanoacenaphthoquinodiimines	346
8P-086	Tatsuro Imakubo (Nagaoka University of Technology, Japan)	Synthesis and Properties of Cation Radical Salts Based on Ethylenedioxy-Tetraselenafulvalene (EDO-TSeF)	346
8P-087	Toshiaki Nishi (Kyoto University, Japan)	Synthesis and Physical Properties of Radical Cation Salts of 2-(Thiopyran-4-ylidene)-4,5-ethylenedithio-1,3-dithiole (TP-EDTT)	346
8P-088	Michihiro Hirata (The University of Tokyo, Japan)	Investigations of the Quasi 2D Organic Conductor θ - (BEDT-TTF) ₂ I ₃ by ¹³ C NMR	346
8P-089	Kyohei Ishikawa (The University of Tokyo, Japan)	¹³ C NMR Study of Charge-Disproportionated-Metal in the Quasi 2D Organic Conductor α - (BEDT-TTF) ₂ I ₃	347
8P-090	Takuji Kato (RICOH, Japan)	Organic Field Effect Transistor using Organic Electrode Consisted of Novel TTF Derivative/C ₆₀	347
8P-091	Toru Morikawa (Ehime University, Japan)	Structures and Physical Properties of (DMEDO-EBDT) _n XF ₆ (n = 1, 2, X = P, As)	347
8P-092	Takashi Shirahata (Ehime University, Japan)	Novel Organic Metals Based on TTPs with Peripheral Methoxy Groups	347
8P-093	Yukihiko Yoshida (Tokyo University of Science, Japan)	¹ H-NMR Absorption Lines and Stage Structures in Iodine Doped Anthracene Films	348
8P-094	Miho Itoi (Aoyama Gakuin University, Japan)	Pressure Effect on Quasi-One-Dimensional Organic Conductor (TMTTF) ₂ SbF ₆ : Magnetic Susceptibility under Pressure	348
8P-095	Yoshiya Uwatoko (ISSP / The University of Tokyo, Japan)	Anisotropy of Upper Critical Field in (TMTTF) ₂ SbF ₆ under Extremely High Pressure	348
8P-096	Akira Terai (Osaka City University, Japan)	Electron Correlations in Two-Dimensional Electron-Lattice System	348

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-097	Koichi Kikuchi (Tokyo Metropolitan Univ., Japan)	Crystal Structure of Superconductor β -(BDA-TTP) ₂ FeCl ₄ under Pressure	349
8P-098	Kei Matsuoka (Kyoto Sangyo University, Japan)	Strong Coupling Approach to the Excited States of Spinless Fermion on an Anisotropic Triangular Lattice	349
8P-099	Hiroshi Oike (The University of Tokyo, Japan)	Superconducting and Metallic States of k -(ET) ₄ Hg _{2.89} Br ₈ Probed by Contactless Conductivity Measurement	349
8P-100	Shun Ichikawa (University of Hyogo, Japan)	Preparation, Crystal Structures, and Physical Properties of FeCl ₄ Salts of <i>meso</i> -, Racemic-, and (<i>S</i> , <i>S</i>)- DMDH-TTP	349
8P-101	Yuichi Otsuka (RIKEN, Japan)	Numerical Study of One-Dimensional π - <i>d</i> Coupled Compound TPP[Fe(Pc)(CN) ₂] ₂	350
8P-102	Kotaro Takahashi (Toho University, Japan)	Thermal Study of Valence Bond Ordering on EtMe ₃ X[Pd(dmit) ₂] ₂ Systems	350
8P-103	Kazuhiko Sasaki (Toho University, Japan)	Charge Separation in Et ₂ Me ₂ Sb[Pd(dmit) ₂] ₂ System under Hydrostatic Pressure	350
8P-104	Hidenori Wada (Ehime University, Japan)	Structure and Properties of BDS-STP Derivatives with Thioalkyl Groups	350
8P-105	Yusuke Matsuzaki (Toho University, Japan)	Paramagnetic Metal-Antiferromagnetic Insulator Transition in λ (BETS) ₂ FeCl ₄ System	351
8P-106	Kazuya Kubo (Tohoku University, Japan)	Electronic State of Hybridized Molecular Materials Based on [Mn ^{III}] ₂ Single Molecule Magnet with Molecular Conductor [Ni(dmit) ₂] ⁿ⁻	351
8P-107	Manabu Ishikawa (Kyoto University, Japan)	Synthesis of Mono-Chlorinated EDO-TTF and the Charge Transfer Complexes	351
8P-108	Keita Shiratori (Tokyo Institute of Technology, Japan)	Low-Temperature Crystal Structure of (DMEDO-TTF) ₂ AsF ₆	351

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-109	Ok Hee Chung (Suncheon University, South Korea)	Study on Electromagnetic Properties in Another Bechgaard Salt: $(\text{TMTSF})_2\text{BrO}_4$	352
8P-110	Yuuki Kawashima (Hokkaido University, Japan)	STM/STS Study of FeTe	352
8P-111	Kazuhiko Katono (Hokkaido University, Japan)	Density Wave State in α - $(\text{BEDT-TTF})_2\text{KHg}(\text{SCN})_4$ Probed by STM/STS	352
8P-112	Yasuyuki Ishii (RIKEN, Japan)	μSR Studies on Organic Triangular Antiferromagnets, $(\text{Cation})[\text{Pd}(\text{dmit})_2]_2$	352
8P-113	Tetsuro Nishikawa (The University of Tokyo, Japan)	Spin Excitations of Neutral Ionic Phase Transition in TTF-CA Investigated by ^1H NMR	353
8P-114	Samia Benmansour (Universidad de Valencia, Spain)	Radical Salts of BEDT-TTF and New Polynitrile Anions	353
8P-115	Kenji Koizumi (The University of Tokyo, Japan)	Laser Photoemission Spectroscopy Study on Low Dimensional Organic Conductors	353
8P-116	Abdou Hassanien (AIST, Japan)	Nanoscale Superconductivity in $(\text{BETS})_2\text{-GaCl}_4$	353
8P-117	Jonathan Fernando Teixeira (University of Brasilia, Brazil)	Dynamics of Charge Transport in Graphene Nanoribbons	354
8P-118	Fabio Vieira Moura (University of Brasilia, Brazil)	Temperature Effects on Excitons Stability in Graphene Nanoribbons	354
8P-119	Jun Ohara (Yokohama National University, Japan)	A Frustrated Transition-Metal-Halide Nanotube: Exotic Peierls and Mott Transitions	354
8P-120	Xiaobin Peng (South China University of Technology, China)	The Solubilization of SWNTs by Chiral Porphyrin in Water	354

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-121	Tae June Kang (Seoul National University, South Korea)	Negative Piezoresistance Effect of CNT Coated Thread	355
8P-122	Kyung Uk Jang (Kyungwon University, South Korea)	Electrical and Optical Properties of the Sandwiched <i>Glass/Polymer/MWCNT</i> Films for the Transparent Electrode	355
8P-123	Seung Wan Chu (Seoul National University, South Korea)	Electrical Transport of Iodine Doped Graphene	355
8P-124	Kyohei Ito (Hiroshima University, Japan)	Synthesis of Single-Walled Carbon Nanotube Containing Ruthenium Nanoparticles	355
8P-125	Masaru Sugita (Nagasaki Institute of Applied Science, Japan)	Studies of Poly-Phene Semiconductor Materials(PPhS)	356
8P-126	Koichi Suganuma (Saitama University, Japan)	Transparent Organic Field-Effect Transistors with Solution-Processed Graphene Electrodes	356
8P-127	Akihiro Otsuka (Kyoto University, Japan)	Band Electronic Structure of Purely Organic Conductor Based on Fullerene Ionic Complex	356
8P-128	Chien-Liang Lee (National Kaohsiung University of Applied Science, Taiwan)	Carbon Nanotubes supported Colloidal Ag/Pd Nanoparticles as Electrocatalysts toward Oxygen Reduction Reaction	356
8P-129	Jin Ah Lee (KAIST, South Korea)	Fabrication of Vertical Carbon Nanotube Arrays from Self-Assembled Block Copolymer Film	357
8P-130	Ryohei Kishi (Osaka University, Japan)	Spin-Unrestricted DFT Study on the Electronic Structures of Open-Shell Square Nanographenes	357
8P-131	HyunWook Kim (KAIST, South Korea)	Noncovalent Functionalization of Graphene with End-Functional Polymers	357
8P-132	Kyung Ho Kim (Seoul National University, South Korea)	Shoubnikov-de Haas and Aharonov Bohm Effects in a Graphene Nanoring Structures	357

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-133	Hirokazu Sakamoto (Tokyo Metropolitan University, Japan)	ESR Study on alpha-TDAE-C ₆₀ with Uniaxial Strain	358
8P-134	Jianting Ye (Tohoku University, Japan)	Novel Transport Properties in Electronic Double Layer Field Effect Transistors Based on Layered Materials	358
8P-135	Shuhei Inoue (Hiroshima University, Japan)	Molecular Dynamic Simulation for Metal Carbon Nanotube Composite Materials	358
8P-136	Duck Hyun Lee (KAIST, South Korea)	All Carbon Carpet: Flexible Hybrid Material of Carbon Nanotubes and Graphene Film	358
8P-137	Lukasz Radosinski (Wroclaw University of Technology, Poland)	Dimerization of Graphite and Possible sp ² -sp ³ Transition Induced by Inter-Layer Charge Transfer Excitations as a Possible Graphite-Diamond Phototransformation Path.	359
8P-138	Seiji Obata (The University of Tokyo, Japan)	N-Doped Graphene Preparation and Structural Analysis	359
8P-139	Takahiro Nishijima (Tohoku University, Japan)	Electric Double Layer Transistor of C ₆₀ with Ionic Liquid	359
8P-140	Hideyuki Ohnami (Hosei University, Japan)	Structure and Electronic Properties of Na-H-C ₆₀ Compounds	359
8P-141	Ryutaro Tomita (Chiba University, Japan)	Numerical Study for Properties in Flat Bands of Graphene Ribbons with Multiple Periodicity by Edge Modification	360
8P-142	Hisao Miyazaki (NIMS, Japan)	Anisotropic Transport in Graphene Grown on SiC	360
8P-143	Hyun Wook Lee (Korea University, South Korea)	Poly(ionic liquid) Modified Graphene Nanocomposite Materials for Supercapacitor Electrodes	360
8P-144	Mao Shoji (Hosei University, Japan)	Synthesis and Structural Study of Polylactic Acid Encapsulated in Single-Walled Carbon Nanotubes	360

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-145	Yu Sup Jung (Kyungwon University, South Korea)	Properties of GAZO(GZO-AZO) Thin Films for OLED Prepared on Polymeric Substrate by FTS System	361
8P-146	Sang Moon Lee (Korea Basic Science Institute, South Korea)	Hydrogen Adsorption on Activated Graphene by KOH	361
8P-147	Yung-Chang Lin (National Tsing Hua University, Taiwan)	Bandgap Modulation of Graphene by Hydrogenation	361
8P-148	Nicolas G. Martinelli (University of Mons, Belgium)	Influence of Molecular Vibrations and Electrostatic Interactions on Charge Transport Parameters in Oligoacenes	361
8P-149	Jun-ichi Nishida (Tokyo Institute of Technology, Japan)	Synthesis and n-Type FET Characteristics of Phenylene-Vinylene Compounds Containing Cyano Groups	362
8P-150	Yugo Okada (Osaka University, Japan)	High-Density Carrier Accumulation and Anomalous Field Effect in Rubrene Single Crystal Transistors	362
8P-151	Chayeon Seo (Tokyo Institute of Technology, Japan)	Organic Transistors Based on Substituted Hexamethylenetetrafulvalenes	362
8P-152	Shinya Oku (Kyushu Institute of Technology, Japan)	Electric Characteristics of Complementary Inverter Consisted of p- and n-Type Organic Thin-Film Transistors	362
8P-153	Daisuke Adachi (Kyushu Institute of Technology, Japan)	Characteristics of n-Type Organic Thin-Film Transistor with Cyano-Substituted Distyrylthiophene Derivatives	363
8P-154	Tomohiro Fujita (Tokyo Institute of Technology, Japan)	Synthesis and Properties of n-Type Semiconductors Composed of Diazaborole and Quinone Units	363
8P-155	Tetsuya Aoyama (RIKEN, Japan)	Anisotropic Field-Effect Mobility and Photoresponse of Bisazomethine Dye Thin-Film Transistor	363
8P-156	Yutaka Ie (Osaka University, Japan)	Synthesis, Properties, and n-Type FET Performances of π -Conjugated Systems Containing Carbonyl-Bridged Bithiazole	363

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-157	Takeshi Yasuda (National Institute for Materials Science, Japan)	Fabrication of Stretch-Oriented π -Conjugated Polymer Film and Its Application to Organic Thin-Film	364
8P-158	Nikolai Kaihovirta (Aabo Akademi University, Finland)	The Role of Moisture in an Ion Enhanced OFET	364
8P-159	Ming Lu (National Institute of Advanced Industrial Science and Technology, Japan)	Oligothiophene Derivative for Solution Process and Its Field-Effect Transistor Characteristics	364
8P-160	Syunsuke Nagoya (AIST, Japan)	Solution-Processed n-Type Organic Thin-Film Transistors Based on Semifluoroalkyl-Substituted C ₆₀ Derivatives	364
8P-161	Masaki Tsuji (University of Tsukuba, Japan)	Spatial Extent of Doping-Induced Hole Carriers in Very High-Mobility Rubrene Single Crystals	365
8P-162	Hiromi Minemawari (National Institute of Advanced Industrial Science and Technology, AIST, Japan)	Inkjet Printing of TTF-TCNQ Metallic Films for High Performance Organic Transistors	365
8P-163	Naoki Nakayama (Chiba University, Japan)	In-Plane Orientational Control of Pentacene Crystals Using Graphoepitaxy	365
8P-164	Satria Zulkarnaen Bisri (Tohoku University, Japan)	The Observation of Current-Induced Spectral Narrowing in Organic Light-Emitting Transistors	365
8P-165	Kodai Kikuchi (Chiba University, Japan)	Fabrication of Stacked Organic CMOS Inverter Using Silicone-Resin Insulators	366
8P-166	Takafumi Uemura (Osaka University, Japan)	Hall Effect in Polycrystalline Organic Thin-Film Transistors	366
8P-167	Naotoshi Suganuma (National Institute of Advanced Industrial Science and Technology, AIST, Japan)	High-Performance Poly(3-hexylthiophene) Transistor with Well-Defined Molecular Structure	366
8P-168	Yoshinori Horii (National Institute of Advanced Industrial Science and Technology, Japan)	High Mobility Printable n-Type Organic Thin-Film Transistors with Stamped Semiconductor Films	366

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-169	Hideyuki Kawaguchi (Osaka University, Japan)	Reducing Contact Resistance in Rubrene Single Crystal Field-Effect Transistors Using Self-Assembled Monolayer	367
8P-170	Toshikazu Yamada (National Institute of Advanced Industrial Science and Technology, Japan)	Very High Mobility Organic Thin-Film Transistors Based on Hexamethylene-Tetrathiafulvalene (HMTTF)	367
8P-171	Shinya Takaishi (Tohoku University, Japan)	Enhancement of Luminescence Intensity in TMPY/Perylene Co-Single Crystal	367
8P-172	Mingyu Kim (Seoul National University, South Korea)	The Effect of HMDS Treatment on the Surface of OTFT Dielectric Layer Using Inkjet Printing	367
8P-173	Yohei Yomogida (Tohoku University, Japan)	Visualization of In-Gap States Using Organic Light Emitting Transistors	368
8P-174	Megumi Akai-Kasaya (Osaka University, Japan)	Carrier Transport Properties of Conducting Polymer Detected by Submicrometer Channel Transistors	368
8P-175	Huidong Zang (University of Tennessee, United States)	Magneto-Optical Investigation on Formation and Dissociation of Inter-Molecular Charge-Transfer Complexes at Donor-Acceptor Interfaces in Organic Solar Cells	368
8P-176	Satoshi Honda (Kyoto University, Japan)	Dye Modification of Polymer/Fullerene Interface in Organic Solar Cells	368
8P-177	Seiichirou Yokoya (Kyoto University, Japan)	Near-Infrared Dye-Sensitization in Polymer Solar Cells Studied by Transient Absorption Spectroscopy	369
8P-178	Nicolas Leclerc (CNRS, France)	Structure-Transport Property Relationships in Thieno-Thiophene Containing Donor-Acceptor Co-Polymers	369
8P-179	Andrea Maurano (Imperial College London, United Kingdom)	Recombination As a Key Determinant of Open Circuit Voltage in Polymer Bulk Heterojunction Solar Cells	369
8P-180	Yosuke Saito (The University of Tokyo, Japan)	Energy-Storable Dye-Sensitized Solar Cells with Polypyrrole-Based Charge-Storage Electrodes	369

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-181	Koichi Sakamaki (ADEKA Corporation, Japan)	Organic Solar Cells Fabricated by Printing Methods	370
8P-182	Hiroaki Benten (Kyoto University, Japan)	Effects of Film Morphology on Photovoltaic Performances in All-Polymer Solar Cells with Power Conversion Efficiency of 1.9%	370
8P-183	Jae Hyun Lee (Korea Advanced Institute of Science and Technology, South Korea)	Hole Blocking Properties of Titanium Sub-Oxide Layer in Organic Solar Cells	370
8P-184	Jung Woo Kim (Sungkyunkwan University, South Korea)	Characterization of ITO and ZnO Surface Modification in Organic Solar Cells	370
8P-185	Simon Gustav Andreas Sanden (Abo Akademi University, Finland)	Charge Transport and Recombination in TiO ₂ /P3HT:PCBM Devices	371
8P-186	Byoung Min So (Sogang University, South Korea)	Interface Modification of Organic Photovoltaic Cells Using Self-Assembled Monolayer and N-Type Buffer Layer	371
8P-187	Shuhei Yamamoto (Toray Industries, Inc., Japan)	Composition Depth Profile Analysis of Polymer-Fullerene Layer by TOF-SIMS with Gradient Shaving Preparation	371
8P-188	Hiroshi Ito (Nagoya University, Japan)	Photocarrier Recombination in Surface-Type Photocells of Regioregular Poly(3-hexylthiophene)/Fullerene Composites	371
8P-189	Mathias Nyman (Abo Akademi University, Finland)	Charge Transfer from Contacts to Polymer/Fullerene Blend in P3HT:PCBM Devices	372
8P-190	Hyuck Lee (Sungkyunkwan University, South Korea)	Electrochemical Properties of Polypyrrole/Carbon Nanotube/Graphene Electrode for Supercapacitor	372
8P-191	Takehito Kato (Sumitomo Chemical Co.,Ltd, Japan)	Highly Efficient Solar Cell Based on Conjugated Polymers	372
8P-192	In Hwan Jung (Korea Advanced Institute of Science and Technology, South Korea)	Synthesis and Characterization of Cyclopentadithiophene-Based Low Bandgap Copolymers Containing Electron-Deficient Benzoselenadiazole Derivatives for Photovoltaic Devices	372

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-193	Jun'ya Tsutsumi (National Institute of Advanced Industrial Science and Technology, Japan)	Observation of Exciton Dissociation Process in Semiconducting Charge-Transfer Crystals	373
8P-194	Shyam S Pandey (Kyushu Institute of Technology, Japan)	Design of Squaraine Dyes with Extended π -Conjugation for Dye Double Layer Sensitized Solar Cells	373
8P-195	Arnaud Alain Jean Dauendorffer (Kyushu Institute of Technology, Japan)	Development of Bulk Heterojunction Solar Cells with Floating Film Transfer Method	373
8P-196	Fumiaki Kato (Waseda University, Japan)	Dye-Sensitized Solar Cell Utilizing Nitroxide Radicals as Redox Mediator	373
8P-197	Toya Mizuno (National Institute of Advanced Industrial Science and Technology, Japan)	Photovoltaic Characteristics of Network Polysilyne Thin Films	374
8P-198	Sung Cheol Yoon (Korea Research Institute of Chemical Technology, South Korea)	Novel bis-Adduct Type Acceptor Materials for Organic Photovoltaic Cells	374
8P-199	Bernhard Ecker (University of Oldenburg, Germany)	Investigations Of Different Hole Transport Layers In Polymer: Fullerene Solar Cells	374
8P-200	Anna Gromchenko (M.V.Lomonosov Moscow State University, Russian Fed.)	Exohedral Fullerene Metallocomplexes for Organic Solar Cells: Enhancing the Open-Circuit Voltage	374
8P-201	Yen-Ju Cheng (National Chiao Tung University, Taiwan)	Synthesis and Characterization of Bridged Bithiophene-Based Conjugated Polymers for Photovoltaic Applications	375
8P-202	Senku Tanaka (Shimane University, Japan)	Photocurrent Characteristic of Ag/Zn-Phthalocyanine/Ag Cell: Effect of the Deposition Order of Metal and Phthalocyanine on the Photovoltaic Property	375
8P-203	Hiroyoshi Naito (Osaka Prefecture University, Japan)	Localized-State Distributions in P3HT/PCBM Bulk Heterojunctions	375
8P-204	Nobuhiro Watanabe (Toray Industries, Japan)	Quinoxaline-Based Low Bandgap Polymers for Highly Efficient Organic Thin-Film Solar Cells	375

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-205	Surassawatee Jamikorn (Kasetsart University, Thailand)	Enhanced Efficiency of Natural Dye-Sensitized Solar Cells Using Modified PEO Composite Electrolyte	376
8P-206	Chetan Jagdish Bhongale (Japan Advanced Institute of Science and Technology, Japan)	All-Organic Solution Processed Solar Cells Based on Self-Assembled Monolayer of Benzaldehyde Derivatives	376
8P-207	Ja Ryong Koo (Hongik University, South Korea)	Improvement of PCE in Organic BHJ Solar Cell Doped with TIPS-Pentacene	376
8P-208	Sun Young Lee (Kumoh National Institute of Technology, South Korea)	Synthesis and Characteristics of New Conjugated Polymer Containing Pyrene and Bithiophene Units for Organic Solar Cells	376
8P-209	Yoshimi Sunohara (Shinshu University, Japan)	Bulk Heterojunction Photovoltaic Cells Made of C ₆₀ Columns Preparing by Solvent Vapor Treatment	377
8P-210	Byung Hoon Kim (Korea Basic Science Institute, South Korea)	Enhancement of Hydrogen Storage Capacity due to the Change of Interlayer Distance	377
8P-211	Won Gi Hong (Korea Basic Science Institute, South Korea)	Graphene oxide/V ₂ O ₅ Composites for Hydrogen Storage	377
8P-212	Soon Chang Lee (Korea Basic Science Institute, South Korea)	Spinel Li ₄ Ti ₅ O ₁₂ Nanotubes for Energy Storage Materials	377
8P-213	Ronald Osterbacka (Abo Akademi University, Finland)	Reduced Recombination in Bulk-Heterojunction Solar Cells: Effect on Organic Magnetoresistance	378
8P-214	Harald Hoppe (Ilmenau University of Technology, Germany)	Visualization of Charge Transport in Polymer Solar Cells	378
8P-215	Wichard J. D. Beenken (Ilmenau University of Technology, Germany)	Absorption Features in the Sub-Bandgap Region of Polymer Solar Cells	378
8P-216	Munju Goh (Kyoto University, Japan)	Helicity Control of Helical Polyacetylene under Thermally Helical Sense-Switchable Chiral Nematic Liquid Crystal	378

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-217	Masayuki Takeuchi (National Institute for Materials Science, Japan)	Controlled Fabrication of Fullerene into Microsphere of Nanoplates through Polymer-Assisted Self-Assembly	379
8P-218	Akito Masuhara (Tohoku University, Japan)	3D Ordered Array of Spherical Polymer Particles on Patterned Silicon Substrate	379
8P-219	Soichiro Motoyama (Kyushu University, Japan)	Fabrication of a Metal-Organic Framework Nanofilm with a Porphyrin Derivative on Solid Surface	379
8P-220	Heesook Cho (UNIST, South Korea)	Precise Placements of Metal Nanoparticles from Reversible Block Copolymer Nanostructures	379
8P-221	Jin Ok Hwang (KAIST, South Korea)	Highly Entangled Hollow TiO ₂ Nanoribbons Templating Diphenylalanine Assembly	380
8P-222	Atsushi Yamamoto (Osaka University, Japan)	Reversible Transformation in Polymorphic Crystals of n- Butylammonium 2-Naphthalenesulfonate and Fluorescence Properties	380
8P-223	Natalia Shevchenko (Institute of Macromolecular Compounds of Russian Academy of Sciences, Russian Fed.)	Self-Assembling Of Hybrid Polymeric Particles	380
8P-224	Jean-Moise Suisse (National Institute of Advanced Industrial Science and Technology, Japan)	Formation of 3-D Network Structures Built up by A Bicontinuous Cubic Mesogen	380
8P-225	Ju Young Kim (KAIST, South Korea)	Directed Assembly of Block Copolymer via Soft Graphoepitaxy	381
8P-226	Takeshi Namikoshi (Niigata University, Japan)	Preparation of Supramolecular Self-Supporting Membranes by Highly Selective Cycloaromatization of Polyphenylacetylene Membranes	381
8P-227	Manami Osawa (Niigata University, Japan)	Helix-Sense-Selective Polymerization of (3,5-Bis(hydroxymethyl)-4-phenyl)phenylacetylenes	381
8P-228	Hyoung-Seok Moon (KAIST, South Korea)	Soft Graphoepitaxy of Block Copolymer Assembly with Disposable Photoresist Confinement	381

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-229	Akikazu Matsumoto (Osaka City University, Japan)	Discotic Liquid Crystals Constructed by Hierarchical Self-Assembly of Rod-Like Diacetylene Molecules	382
8P-230	Haruki Tomikawa (Graduate School of Engineering, Nagoya University, Japan)	β Phase Formation of Poly(9,9-di-n-octylfluorene) on a Water Surface and Fabrication of Oriented LB Films	382
8P-231	Makoto Inoue (Niigata University, Japan)	Synthesis, <i>In-Situ</i> Desubstitution, and Enantioselective Permeation of One-Handed Helical Poly(phenyleneethynylene) Membranes with Chiral Menthyl Groups	382
8P-232	Yasuhiro Shirai (National Institute for Materials Science, Japan)	Templated Synthesis and Characterization of Conductive Polymeric Nanowires	382
8P-233	Dong Ok Shin (KAIST, South Korea)	A Conical-Shape Ag Nanoparticle Array for Localized Surface Plasmon Resonance Biosensor via Block Copolymer Lithography	383
8P-234	Kazuma Yasuhara (Nara Institute of Science and Technology, Japan)	Metallosomes: Nanohybrid Vesicles with Organic, Ceramic, and Metallic Layers	383
8P-235	Barbara Vercelli (Consiglio Nazionale delle Ricerche CNR, Italy)	CdSe nanocrystals and Thiophene-Based Oligomers Hybrid Materials for Solar Energy Conversion	383
8P-236	Jun Matsui (Tohoku University, Japan)	Hybrid Assembly Composed of Single-Walled Carbon Nanotube and Polydiacetylene Nanocrystal Using a Liquid-Liquid Interface	383
8P-237	Kana Tanabe (The University of Tokyo, Japan)	Synthesis and Photoluminescent Properties of Tripodal Ionic Liquid Crystals	384
8P-238	Tsuyoshi Akiyama (The University of Shiga Prefecture, Japan)	Fabrication and Photocurrent Generation Properties of Electrochemically Polymerized Polythiophene-Gold Nanoparticle Composite Films	384
8P-239	Shota Morikawa (Kyushu University, Japan)	Proton Conductivity of One-Dimensional Coordinationpolymer $M(\text{d}hbq)_n\text{H}_2\text{O}$ ($M = \text{Mg}, \text{Mn}, \text{Co}, \text{Ni}$ and $\text{Zn}, \text{H}_2\text{d}hbq = 2,5\text{-dihydroxy-1,4-benzoquinone}$)	384
8P-240	Tae Hoon Kim (Seoul National University, South Korea)	Reversible Transformation of Helical Coils and Straight Rods in Cylindrical Assembly of Elliptical Macrocycles	384

Abstract No.	Presenting Author (Affiliation, Country)	Title	Page
8P-241	Yoshitaka Terashima (Ritsumeikan University, Japan)	Soft Materials Based on π -Conjugated Anion-Responsive Molecules	385
8P-242	Chain-Shu Hsu (National Chiao Tung University, Taiwan)	Synthesis and Self-Assembled Hierarchical Superstructures of Banana Shaped Liquid Crystals	385
8P-243	Ji Hye Yeon (Korea University, South Korea)	Growth Mechanism of Silver Nanowires Using Ionic Liquids	385
8P-244	Toshiyuki Ito (Hosei University, Japan)	STM/STS Analysis of DNA Complexes on HOPG	385
8P-245	Hiroyuki Tsumatori (Nara Institute of Science and Technology, NAIST, Japan)	Crystal-Face Dependence of Circularly Polarized Luminescence in Single-Crystal Eu(III)	386
8P-246	Jang Myoun Ko (Hanbat National University, South Korea)	Photoelectrochemical Solar Cell Study on Closely Arranged CdSe and Zn Doped CdSe Vertical Nanorod Array Films	386
8P-247	Norifumi Fujita (The University of Tokyo, Japan)	Design and Function of One-Dimensional Supramolecular Materials	386
8P-248	Masashi Hasegawa (Kitasato University, Japan)	Construction of Supramolecular Structure and Fiber Formation Based on Tetrathiafulvalenopyridazine Derivatives	386
8P-249	Carmen Ocal (Consejo Superior de Investigaciones Cientificas, Spain)	Self-Assembled Molecular Monolayers Selectively Grown on Chemically Patterned SrTiO ₂ Substrates	387